

# **PROFLEX**



*Appearances may vary*

## **Rowing Machine – X82**

### **User Manual**

[Revision 2.0 October 2019]

---

READ THIS MANUAL CAREFULLY BEFORE USE – FAILURE TO DO SO MAY RESULT IN INJURY, PROPERTY DAMAGE AND MAY VOID WARRANTY. • KEEP THIS MANUAL FOR FUTURE REFERENCE. • Products covered by this manual may vary in appearance, assembly, inclusions, specifications, description and packaging.

---

# Safety

Safety messages are designed to alert you to possible dangers or hazards that could cause death, injury or equipment or property damage if not understood or followed. Safety messages have the following symbols:



You **WILL** be KILLED or SERIOUSLY INJURED if you do not follow instructions.



You **CAN** be KILLED or SERIOUSLY INJURED if you do not follow instructions.



You **CAN** be INJURED if you do not follow instructions or equipment damage may occur.

It is vital that you read and understand this user manual before using the product, including safety warnings, and any assembly and operating instructions. Keep the manual for future reference.

Safety precautions and recommendations detailed here must be fully understood and followed to reduce the risk of injury, fire, explosion, electrical hazard, and/or property damage.

Safety information presented here is generic in nature – some advice may not be applicable to every product. The term "equipment" refers to the product, be it electrical mains powered, battery powered or combustion engine powered.

- **Before Use** – If you are not familiar with the safe operation/handling of the equipment or are in any way unsure of any aspect of suitability or correct use for your application, you should complete training conducted by a person or organization qualified in safe use and operation of this equipment, including fuel/electrical handling and safety.
- Do NOT operate the equipment in flammable or explosive environments, such as in the presence of flammable liquids, gases or dust. The equipment may create sparks or heat that may ignite flammable substances.
- Keep clear of moving parts.
- Equipment may be a potential source of electric shock or injury if misused.
- Do NOT operate the equipment if it is damaged, malfunctioning or is in an excessively worn state.
- Do NOT allow others to use the equipment unless they have read this manual and are adequately trained.
- Keep packaging away from children - risk of suffocation! Operators must use the equipment correctly. When using the equipment, consider conditions and pay due care to persons and property.

## General Work Area Safety

- Work areas should be clean and well lit.
- Do not operate the equipment if bystanders, animals etc are within operating range of the equipment or the general work area.
- If devices are provided for connecting dust extraction / collection facilities, ensure these are connected and used properly. Dust collection can reduce dust-related hazards.

## General Personal Safety

- Wear appropriate protective equipment when operating, servicing, or when in the operating area of the equipment to help protect from eye and ear injury, poisoning, burns, cutting and crush injuries. Protective equipment such as safety goggles, respirators, non-slip safety footwear, hard hat, hearing protection etc should be used for appropriate equipment / conditions. Other people nearby should also wear appropriate personal protective equipment. Do not wear loose clothing or jewellery, which can be caught in moving parts. Keep hair and clothing away from the equipment.
- Stay alert and use common sense when operating the equipment. Do not over-reach. Always maintain secure footing and balance.
- Do not use the equipment if tired or under the influence of drugs, alcohol or medication.
- This equipment is not intended for use by persons with reduced physical, sensory or mental capabilities.

## General Fuel Safety

- Petrol/fuel/gasoline is extremely flammable – keep clear of naked flames or other ignition sources.
- Do not spill fuel. If you spill fuel, wipe it off the equipment immediately – if fuel gets on your clothing, change clothing.
- Do NOT smoke near fuel or when refuelling.
- Always shut off the engine before refuelling.
- Do NOT refuel a hot engine.
- Open the fuel cap carefully to allow any pressure build-up in the tank to release slowly.
- Always refuel in well ventilated areas.
- Always check for fuel leakage. If fuel leakage is found, do not start or run the engine until all leaks are fixed.

## General Carbon-Monoxide Safety

- Using a combustion engine indoors **CAN KILL IN MINUTES**. Engine exhaust contains carbon-monoxide – a poison you cannot smell or see.
- Use combustion engines OUTSIDE only, and far away from windows, doors and vents.

## General Equipment Use and Care

- The equipment is designed for domestic use only.
- Handle the equipment safely and carefully.
- Before use, inspect the equipment for misalignment or binding of moving parts, loose components, damage or any other condition that may affect its operation. If damaged, have the equipment repaired by an authorised service centre or technician before use.
- Prevent unintentional starting of the equipment – ensure equipment and power switches are in the OFF position before connecting or moving equipment. Do not carry equipment with hands or fingers touching any controls. Remove any tools or other items that are not a part of the equipment from it before starting or switching on.
- Do not force the equipment. Use the correct equipment for your application. Equipment will perform better and be safer when used within its design and usage parameters.
- Use the equipment and accessories etc. in accordance with these instructions, considering working conditions and the work to be performed. Using the equipment for operations different from those intended could result in hazardous situations.
- Always keep equipment components (engines, hoses, handles, controls, frames, housings, guards etc) and accessories (cutting tools, nozzles, bits etc) properly maintained. Keep the equipment clean and, where applicable, properly lubricated.
- Store the equipment out of reach of children or untrained persons. To avoid burns or fire hazards, let the equipment cool completely before transporting or storing. Never place or store the equipment near flammable materials, combustible gases or liquids etc.
- The equipment is not weather-proof, and should not be stored in direct sunlight, at high ambient temperatures or locations that are damp or humid.
- Do not clean equipment with solvents, flammable liquids or harsh abrasives.
- For specific equipment safety use and care, see Equipment Safety.

General Electrical Safety	General Electrical Safety	General Service Information
<ul style="list-style-type: none"> <li>Inspect electrical equipment, extension cords, power bars, and electrical fittings for damage or wear before each use. Repair or replace damaged equipment immediately.</li> <li>Ensure all power sources conform to equipment voltage requirements and are disconnected before connecting or disconnecting equipment.</li> <li>When wiring electrically powered equipment, follow all electrical and safety codes.</li> <li>Wherever possible, use a residual current device (RCD).</li> <li>High voltage / high current power lines may be present. Use extreme caution to avoid contact or interference with power lines. Electrical shock can be fatal.</li> </ul>	<ul style="list-style-type: none"> <li>Electrically grounded equipment must have an approved cord and plug and be connected to a grounded electrical outlet.</li> <li>Do NOT bypass the ON/OFF switch and operate equipment by connecting and disconnecting the electrical cord.</li> <li>Do NOT use equipment that has exposed wiring, damaged switches, covers or guards.</li> <li>Do NOT use electrical equipment in wet conditions or in damp locations.</li> <li>Do NOT use electrical cords to lift, move or carry equipment.</li> <li>Do NOT coil or knot electrical cords, and ensure electrical cords are not trip hazards.</li> </ul>	<ul style="list-style-type: none"> <li>The equipment must be serviced or repaired at authorised service centres by qualified personnel only.</li> <li>Replacement parts must be original equipment manufacturer (OEM) to ensure equipment safety is maintained.</li> <li>Do NOT attempt any maintenance or repair work not described in this manual.</li> <li>After use, the equipment and components may still be hot – allow the equipment to cool and disconnect spark plugs and/or electrical power sources and/or batteries from it before adjusting, changing accessories or performing repair or maintenance.</li> <li>Do NOT adjust while the equipment is running.</li> <li>Perform service related activities in suitable conditions, such as a workshop.</li> <li>Replace worn, damaged or missing warning/safety labels immediately.</li> </ul>

### Rowing Machine Safety

Before you undertake any programme of exercise that will increase cardiovascular activity please be sure to consult with your doctor. Frequent strenuous exercise should be approved by your doctor and proper use of your product is essential. Please read this manual carefully before commencing assembly of your product or starting to exercise.

- Please keep all children away from exercise products when in use. Do not allow children to climb on them when they are not in use.
- For your own safety, always ensure that there is at least 1 Metre of free space in all directions around your product while you are exercising.
- Regularly check to see that all nuts, bolts and fittings are securely tightened.
- Periodically checking all moving parts for obvious signs of wear or damage.
- Clean only with a damp cloth, do not use solvent cleaners.
- Before use, always ensure that your product is positioned on a solid, flat surface.
- If necessary, use a rubber mat underneath to reduce the possibility of slipping in use.
- Always wear appropriate clothing and footwear such as training shoes when exercising. Do not wear loose clothing that could become caught or trapped during exercise.

**Storage and Use:** Your product is intended for use in clean dry conditions. You should avoid storage in excessively cold or damp places as this may lead to corrosion and other related problems that are outside our control.





















**Weight Limit:** 100kg, maximum.
















**Beginning Exercising:** How you begin to exercise will vary from person to person. If you have not exercised for a long period of time, have been inactive for a while, or are severely overweight you **MUST** start slowly, increasing your exercise time gradually, by perhaps only a few minutes for each session per week.

Combine a carefully structured nutritious diet with a simple but effective exercise routine and this can help make you feel better, look better and will almost certainly enable you to enjoy life more.

## Safety Symbols

The product may have safety warning labels attached to it, explained below. Understand the symbols on your product and their meanings. If any stickers become unreadable, unattached etc., replace them.


 <p><b>Flammable Material Hazard</b> Flammable liquids, gases or substances etc may present. Avoid ignition sources and open flames. Danger of fire.</p>	 <p><b>Read User Manual</b> Read and fully understand product safety warnings, operation, procedures etc before using the product.</p>	 <p><b>Use Hand Protection</b> Wear appropriate hand protection and take due care as the product or use of the product may present hand hazards.</p>	 <p><b>Carbon-Monoxide Hazard</b> Do not use the product in confined areas or without adequate ventilation. Carbon-monoxide poisoning can be fatal.</p>
 <p><b>Electrocution / Electrical Shock Hazard</b> High voltage or high current electricity may be present or required by the product. Take due care when handling electrical products, cables, plugs and leads. Electrical shock can be fatal.</p>	 <p><b>Toxic Fumes / Dust Hazard</b> Using the product or by-products from use may produce fumes, smoke or particles that could be harmful if inhaled. Wear appropriate breathing protection and have adequate ventilation.</p>	 <p><b>Explosive Material Hazard</b> Combustible liquids, gases or substances etc may be present. Avoid ignition sources and open flames. Danger of explosion.</p>	 <p><b>Cutting / Amputation Hazard</b> The product may have blades, edges or mechanical devices that can cause severe cut injury to fingers, limbs etc. Take due care when handling and using the product.</p>
 <p><b>Crush Hazard</b> The product may have blades, edges or mechanical devices that can cause severe crush injury to fingers, limbs etc. Take due care when handling and using the product.</p>	 <p><b>Single Operator Only</b> The product must be operated by a single person only. More than one person operating the product may introduce additional hazards.</p>	 <p><b>Use Face Protection</b> Wear appropriate full-face protection and take due care as the product or use of the product may present face and eye hazards.</p>	 <p><b>Use Foot Protection</b> Wear appropriate foot protection and take due care as the product or use of the product may present foot hazards.</p>
 <p><b>Use Eye / Ear / Head Protection</b> Wear appropriate eye and / or ear and / or head protection and take due care as the product or use of the product may present eye, hearing and head hazards.</p>	 <p><b>Running Hazard</b> Do not run on or near the product as doing so may present a fall hazard.</p>	 <p><b>Diving Hazard</b> Do not dive into the product as doing so may present a neck / head injury hazard.</p>	 <p><b>Adult Supervision Required</b> Always supervise children and other users of a product to prevent drowning or injury.</p>
 <p><b>Skin Penetration / Puncture Hazard</b> The product may produce pressure, emit liquids or objects that can cause severe injury to fingers, limbs, blood etc. Take due care when handling and using the product.</p>	 <p><b>Hot Surface Hazard</b> Be aware that the product may produce high temperatures and hot surfaces that can cause burn injuries.</p>	 <p><b>Flying Debris Hazard</b> Be aware that the product or use of the product may present hazards produced by flying debris. Wear appropriate clothing and protective devices.</p>	 <p><b>Moving Parts Hazard</b> Be aware that the product contains or uses mechanical devices that move or rotate. Always wait for moving parts to stop fully before handling the product, adjusting, maintenance etc.</p>

 <p><b>Carbon-Monoxide Hazard</b> Do not use the product in confined areas or without adequate ventilation. Carbon-monoxide poisoning can be fatal.</p>	 <p><b>Pull Hazard</b> Be aware that the product contains or uses mechanical devices that can pull in objects and can cause severe injury to fingers, limbs etc. Take due care when handling and using the product.</p>	 <p><b>Slope / Fall Injury Hazard</b> Be aware that using the product on sloping surfaces or in slippery conditions may present additional dangers from falls and contact with blades, moving parts, hot surfaces etc.</p>	 <p><b>"Slam Dunk" Warning</b> Do NOT attempt "slam dunk" manoeuvres as this may result in severe injury due to falling, product breakage or collapse etc.</p>
 <p><b>Electrocution / Electrical Shock Hazard - Outdoor</b> High voltage or high current electricity may be present or required by the product. Do NOT use in rain, damp or wet conditions. Electrical shock can be fatal.</p>	 <p><b>Electrocution / Electrical Shock Hazard - Disconnect</b> High voltage or high current electricity may be present or required by the product. Always disconnect the product from the electrical supply before handling the product, adjusting, maintenance etc.</p>	 <p><b>Power Line Electrocution Hazard</b> High voltage / high current power lines may be present. Use extreme caution to avoid contact or interference with power lines. Electrical shock can be fatal.</p>	 <p><b>"Kick-Back" Hazard</b> High level of "kick-back" hazard that can cause the machine to suddenly rotate towards operator. Kick-back injury can be fatal.</p>
 <p><b>Winch Operator Position Hazard</b> Do NOT stand between winch and load. Do NOT use winch to move people.</p>	 <p><b>Winch Lift Hazard</b> Do NOT LIFT load vertically. Use machine to PULL only.</p>	 <p><b>Cable Hazard</b> Ensure that load bearing cable is not kinked or knotted.</p>	 <p><b>Winch Cable Hazard</b> Ensure that there is a minimum number of cable coils on winching mechanism.</p>
 <p><b>Winch Hook Hazard</b> Carry hook to load – do NOT throw or run.</p>	 <p><b>Flash / Blinding Hazard</b> Wear appropriate eye protection for welding. Direct exposure to weld arcs may cause permanent eye injury.</p>	 <p><b>Laser Hazard</b> Laser may be in use – do NOT look directly at laser or allow others to.</p>	

# Table of Contents

<b>Safety .....</b>	<b>2</b>
Safety Symbols .....	4
<b>Parts Identification .....</b>	<b>7</b>
<b>Before You Start .....</b>	<b>9</b>
<b>Assembly .....</b>	<b>10</b>
<b>Operation .....</b>	<b>14</b>
Control Panel Functions .....	14
Using the Control Panel .....	14
Battery Installation .....	15
<b>Exercise Information .....</b>	<b>16</b>
<b>Specifications .....</b>	<b>18</b>


## Parts Identification



No.	Description	Qty.
1	Main Frame	1
2	Front Stabiliser	1
3	Handle Bar	2
4	Handle Bar Post	1
5	Foam Grip	4
6	Carriage Bolt (M8X60)	2
7	Washer (Φ8)	12
8	Spring Washer (Φ8)	2
9	Domed Nut (M8)	2
11	M8x15 Bolt	4
12	Link Wire	1

No.	Description	Qty.
13	Sensor	1
14	Seat	1
15	Hex bolts M8x102	2
16	Rear Cover	1
17	Screw M5x8	2
18	Nut M8	2
19	Rear Stabilizer	1
20	Stopper	2
21	Screw M5x20	2
22	Rowing Rail (L)	1
23	Rowing Rail (R)	1






**No.6 Qty 2**




**No.7 Qty 12**



**No.8 Qty 2**




**No.9 Qty 2**



**No.11 Qty 4**




**No.15 Qty 2**




**No.17 Qty 2**




**No.18 Qty 2**



**No.21 Qty 2**



**Cross Wrench Qty2**



**Allen Wrench Qty1**



# Before You Start

## Tools

If required, most of our products are supplied with basic tools, which will enable you to successfully assemble your product. However, you may find it beneficial to have a soft-headed hammer and perhaps an adjustable spanner handy as this may help.

## Prepare the Work Area

It is important that you assemble your product in a clean, clear, uncluttered area. This will enable you to move around the product while you are fitting components and will reduce the possibility of injury during assembly.

## Work with a Friend

You may find it quicker, safer and easier to assemble this product with the help of a friend as some of the components may be large, heavy or awkward to handle alone.



## Unpack the Components

Carefully unpack each component, checking against the parts list that you have all the necessary parts to complete the assembly of your product. Please note that some of the parts may be pre-fitted to major components, so please check carefully.

# Assembly


## Step 1

1. Attach the front stabiliser (2) to the front of the main frame (1) using 2 M8x60 Carriage Bolts (6), 2 M8 Washers (7), 2 M8 Spring Washers (8) and 2 M8 Dome Nuts (9).
2. Take the Handlebar (3) and slide it through the handlebar Post (4). Repeat this for the handlebar (3), pressing the locating pin shown by the arrow and locating it in the hole will prevent the bars from slipping.
3. Slide 1 Foam Grip (5) onto the ends of each handlebar (3).




**Step 2**

1. Slide the left Rowing Rail (22) into the Main Frame (1) fix in place using 2 M8x15 Bolts (11) and 2 M8 Washers (7).
2. Connect the Link Wire (12) to the Sensor Wire (13) and slide the right Rowing Rail (23) into the Main Frame (1), feeding any excess wire into the rail and secure in place using 2 M8x15 Bolts (11) and 2 M8 Washers (7).




### Step 3

Remove the Stopper (20) from under the rear of the Rowing Rail (23). Slide the Seat (14) onto the back of both Rowing Rail (22 and 23), ensuring that the magnet is on the right hand side of the Seat.



**Step 4**


1. Attach the Rear Stabiliser (19) in-between the Rowing Rails (22 and 23) using 2 M8x102 Hex Bolts (15), 4 M8 Washers (7) and 2 M8 Nuts.
2. Attach the Rear Cover (16) to the Rowing Rails (22 and 23) using 2 M5x8 Screws (17).
3. Finally, fit the Stopper (20) to the underside of the rear right Rowing Rail (23) using 1 M5x20 Screw (21).





# Operation

## Control Panel Functions



	Function	Specifications
<b>Beats/minute</b>	Number of beats per minute	0 – 199 (beats per minute)
<b>Scan</b>	Changing to different functions	Shows each function every 6 seconds
<b>Rower beats</b>	Number of full rowing movements	0 – 9999 (count up/down in 1 increment)
<b>Time</b>	Count up (minutes and seconds)	0.00 – 99.59 minutes (count up)
<b>Calories</b>	Computed theoretical calorie burn	0.0 – 999.9Kcal (theoretical count up/down)

<b>Power Source</b>	1xAAA (1.5v) Power Cell - (not supplied)
<b>Storage Temperature</b>	-10 – +60°C
<b>Normal Operating Temperature</b>	0 – 50°C

## Using the Control Panel

To provide ease of use, there is only 1 button on the control panel.

- Press the **Orange Mode** button to manually move through each of the control panel's functions in turn. These are in order:
  - Beats/Minute, Time and Calories.** Please note that **Rower Beats** is always shown in the top right side of the screen.
- If you press the **Orange Mode** button until you reach **Scan** mode and then release it, the display will change **every 6 seconds** to show each function in turn.



- Pressing and holding the **Orange Mode** button for 2 seconds in a function will zero out any previous usage figures remaining in that individual function.
- As you start to exercise, the control panel will begin to register the various functions.
- To conserve battery life, the control panel will automatically turn OFF if there is no activity after approximately 4 minutes.

## Battery Installation

1. To fit the necessary battery (not supplied) to the control panel, simply place the correctly-sized battery between the exposed contacts in the battery compartment.
2. Ensure that batteries are fitted with the + / - ends matching the outline on the sticker in the battery compartment or etched into the compartment.
3. Failure to fit batteries correctly may result in damage to the control panel.
4. To fit replacement batteries as needed, carefully remove the control panel from its fitting, disconnect the sensor lead and follow the instructions above.



---

Please dispose of old batteries carefully and considerately.

In most cases where there is an apparent failure of the control panel to work, it is due to incorrect fitting of the control panel cable connections. Please ensure that there is NO GAP between the connectors on the control panel cables when finally assembled. For Jack Plug fittings, push together the Male Jack Plug and Female ends to make initial contact. Push again to make final connection. When fitted correctly, the Jack Plug faces touch each other.

For 2-pin fittings, ensure that you carefully line up the contacts in both of the connectors and then push firmly together ensuring that the clips lock together.

Before contacting an authorized dealer, please re-check all cable connections, disconnecting and re-making where necessary. Should you encounter any difficulty with the operation of your control panel that is not solved by re-connection, please contact an authorised dealer.

---

# Exercise Information

## Aerobic Exercise Session

Those new to exercise should exercise no more than once a day to start with. As your fitness level increases, increase this to 2 in every 3 days. When you are comfortable with your routine, exercise for 6 days per week, always take at least one day off per week.

## Warm Up

A successful exercise program consists of three parts, Warm Up, Aerobic Exercise and Cool Down. Never start a training session without warming up. Never finish one without cooling down correctly. Perform between five and ten minutes of stretching before starting your workout to prevent muscle strains, pulls and cramps.

## Cool Down

To decrease fatigue and muscle soreness, you should also cool down by walking at a slow relaxed pace for a minute or so, to allow your heart rate to return to normal.

## Warm Up and Cool Down Exercises

Hold each stretch for a minimum of ten seconds and then relax. Repeat each stretch two or three times. Do this before your Aerobic Exercise session and after you have finished.



### Head Roll

Rotate your head to the right for one count, feeling a slight pull on the left side of your neck. Next, rotate your head back for one count, stretching your chin. Then rotate your head to the left for one count, feeling a slight pull on the right side of your neck. Lastly, drop your head to your chest for one count. Repeat 2 to 3 times.



### Toe Touch

Slowly bend forward from your waist, letting your back and shoulders relax as you lower your trunk. Gently stretch down as far as is comfortable and hold for 10 seconds.



### Shoulder Lift

Rotate and lift your right shoulder up towards your ear for one count. Relax then repeat for the left shoulder. Repeat 3-4 times.

**Calf/Achilles Stretch**

Turn towards the wall and place both hands on it. Support yourself with one leg while the other is placed behind you with the sole flat on the floor. Bend the front leg and lean towards the wall, keeping the rear leg straight so that the calf and Achilles tendon are stretched hold for 5 seconds. Repeat with the other leg. Repeat 2-3 times.

**Side Stretch**

Open both arms to the side and gently lift them above your head. Reach your right arm as high as you can for one count, gently stretching the muscles of the stomach and lower back. Repeat the action with your left arm. Repeat 3-4 times.

**Inner Thigh Stretch**

Sit on the floor and pull your legs toward your groin, the soles of your feet together. Hold your back straight and lean forward over your feet. Tighten the thigh muscles and hold for 5 seconds. Release and repeat 3-4 times.

**Hamstring Stretch**

Sit on the floor with your right leg extended and place your left foot flat against the right inner thigh. Stretch forward toward the right foot a hold for 10 seconds. Relax and then repeat with the left leg extended. Repeat 2-3 times.

# Specifications

<b>Console</b>	LCD display
<b>Training modes</b>	Time, calories, count
<b>Programs</b>	8
<b>Max. User Weight</b>	100kg
<b>Seat Material</b>	Contoured foam



**Some experts believe that the incorrect or prolonged use of almost any product may cause serious injury or death. To help reduce your risk of serious injury or death, refer to the information below. For more information, see [www.datastreamserver.com/safety](http://www.datastreamserver.com/safety)**

- Consult all documentation, packaging and product labelling before use. Note that some products feature documentation available online. It is recommended to print and retain the documentation.
- Before each use, check the product for loose/broken/damaged/missing parts, wear or leaks (if applicable). Never use a product with loose/broken/damaged/missing parts, wear or leaks.
- Products must be inspected and serviced (if applicable) by a qualified technician every 6 months. This is based on average residential use by persons of average size and strength, and on a property of average metropolitan size. Use beyond these recommendations may require more frequent inspections/servicing.
- Ensure that all users of the product have completed a suitable industry recognised training course before being allowed access to the product.
- The product has been supplied by a general merchandise retailer that may not be familiar with your specific application or description of application. Be sure to attain third-party approval from a qualified specialist for your application before use, regardless of any assurances from the retailer or its representatives.
- This product is not intended for use where fail-safe operation is required. As with any product (for example, automobile, computer, toaster), there is the possibility of technical issues that may require the repair or replacement of parts, or the product itself. If the possibility of such failure and the associated time it may take to rectify could in any way inconvenience the user, business or employee, or financially affect the user, business or employee, then the product is not suitable for your requirements. This product is not intended for use where incorrect operation or a failure of any kind, including but not limited to, a condition requiring product return, replacement, parts replacement or service by a technician may cause financial loss, loss of employee time or an inconvenience requiring compensation.
- If this product has been purchased in error when considering the information presented here, contact the retailer directly for details of their returns policy, if required.

