



Colours may vary

Kids Ride-On ATV Quad Bike

User Manual

[Revision 3.0 April 2020]

READ THIS MANUAL CAREFULLY BEFORE USE – FAILURE TO DO SO MAY RESULT IN INJURY, PROPERTY DAMAGE AND MAY VOID WARRANTY. • KEEP THIS MANUAL FOR FUTURE REFERENCE. • Products covered by this manual may vary in appearance, assembly, inclusions, specifications, description and packaging.

**THE BATTERY MAY HAVE SOME CHARGE ON ARRIVAL, IT IS IMPORTANT
HOWEVER THAT THE BATTERY IS CHARGED PRIOR TO USE.**

Safety

Safety messages are designed to alert you to possible dangers or hazards that could cause death, injury or equipment or property damage if not understood or followed. Safety messages have the following symbols:



You **WILL** be KILLED or SERIOUSLY INJURED if you do not follow instructions.



You **CAN** be KILLED or SERIOUSLY INJURED if you do not follow instructions.



You **CAN** be INJURED if you do not follow instructions or equipment damage may occur.

It is vital that you read and understand this user manual before using the product, including safety warnings, and any assembly and operating instructions. Keep the manual for future reference.

Safety precautions and recommendations detailed here must be fully understood and followed to reduce the risk of injury, fire, explosion, electrical hazard, and/or property damage.

Safety information presented here is generic in nature – some advice may not be applicable to every product. The term "equipment" refers to the product, be it electrical mains powered, battery powered or combustion engine powered.

- Before Use** - If you are not familiar with the safe operation/handling of the equipment or are in any way unsure of any aspect of suitability or correct use for your application, you should complete training conducted by a person or organization qualified in safe use and operation of this equipment, including fuel/electrical handling and safety.

- Do NOT operate the equipment in flammable or explosive environments, such as in the presence of flammable liquids, gases or dust. The equipment may create sparks or heat that may ignite flammable substances.
- Keep clear of moving parts.
- Equipment may be a potential source of electric shock or injury if misused.
- Do NOT operate the equipment if it is damaged, malfunctioning or is in an excessively worn state.
- Do NOT allow others to use the equipment unless they have read this manual and are adequately trained.
- Keep packaging away from children - risk of suffocation! Operators must use the equipment correctly. When using the equipment, consider conditions and pay due care to persons and property.

General Work Area Safety

- Work areas should be clean and well lit.
- Do not operate the equipment if bystanders, animals etc are within operating range of the equipment or the general work area.
- If devices are provided for connecting dust extraction / collection facilities, ensure these are connected and used properly. Dust collection can reduce dust-related hazards.

General Personal Safety

- Wear appropriate protective equipment when operating, servicing, or when in the operating area of the equipment to help protect from eye and ear injury, poisoning, burns, cutting and crush injuries. Protective equipment such as safety goggles, respirators, non-slip safety footwear, hard hat, hearing protection etc should be used for appropriate equipment / conditions. Other people nearby should also wear appropriate personal protective equipment. Do not wear loose clothing or jewellery, which can be caught in moving parts. Keep hair and clothing away from the equipment.
- Stay alert and use common sense when operating the equipment. Do not over-reach. Always maintain secure footing and balance.
- Do not use the equipment if tired or under the influence of drugs, alcohol or medication.
- This equipment is not intended for use by persons with reduced physical, sensory or mental capabilities.

General Fuel Safety

- Petrol/fuel/gasoline is extremely flammable – keep clear of naked flames or other ignition sources.
- Do not spill fuel. If you spill fuel, wipe it off the equipment immediately – if fuel gets on your clothing, change clothing.
- Do NOT smoke near fuel or when refuelling.
- Always shut off the engine before refuelling.
- Do NOT refuel a hot engine.
- Open the fuel cap carefully to allow any pressure build-up in the tank to release slowly.
- Always refuel in well ventilated areas.
- Always check for fuel leakage. If fuel leakage is found, do not start or run the engine until all leaks are fixed.

General Carbon-Monoxide Safety

- Using a combustion engine indoors **CAN KILL IN MINUTES**. Engine exhaust contains carbon-monoxide – a poison you cannot smell or see.
- Use combustion engines **OUTSIDE** only, and far away from windows, doors and vents.

General Equipment Use and Care

- The equipment is designed for domestic use only.
- Handle the equipment safely and carefully.
- Before use, inspect the equipment for misalignment or binding of moving parts, loose components, damage or any other condition that may affect its operation. If damaged, have the equipment repaired by an authorised service centre or technician before use.
- Prevent unintentional starting of the equipment - ensure equipment and power switches are in the OFF position before connecting or moving equipment. Do not carry equipment with hands or fingers touching any controls. Remove any tools or other items that are not a part of the equipment from it before starting or switching on.
- Do not force the equipment. Use the correct equipment for your application. Equipment will perform better and be safer when used within its design and usage parameters.
- Use the equipment and accessories etc. in accordance with these instructions, considering working conditions and the work to be performed. Using the equipment for operations different from those intended could result in hazardous situations.
- Always keep equipment components (engines, hoses, handles, controls, frames, housings, guards etc) and accessories (cutting tools, nozzles, bits etc) properly maintained. Keep the equipment clean and, where applicable, properly lubricated.
- Store the equipment out of reach of children or untrained persons. To avoid burns or fire hazards, let the equipment cool completely before transporting or storing. Never place or store the equipment near flammable materials, combustible gases or liquids etc.
- The equipment is not weather-proof, and should not be stored in direct sunlight, at high ambient temperatures or locations that are damp or humid.
- Do not clean equipment with solvents, flammable liquids or harsh abrasives.
- For specific equipment safety use and care, see Equipment Safety.

General Electrical Safety	General Electrical Safety	General Service Information
<ul style="list-style-type: none"> Inspect electrical equipment, extension cords, power bars, and electrical fittings for damage or wear before each use. Repair or replace damaged equipment immediately. Ensure all power sources conform to equipment voltage requirements and are disconnected before connecting or disconnecting equipment. When wiring electrically powered equipment, follow all electrical and safety codes. Wherever possible, use a residual current device (RCD). High voltage / high current power lines may be present. Use extreme caution to avoid contact or interference with power lines. Electrical shock can be fatal. 	<ul style="list-style-type: none"> Electrically grounded equipment must have an approved cord and plug and be connected to a grounded electrical outlet. Do NOT bypass the ON/OFF switch and operate equipment by connecting and disconnecting the electrical cord. Do NOT use equipment that has exposed wiring, damaged switches, covers or guards. Do NOT use electrical equipment in wet conditions or in damp locations. Do NOT use electrical cords to lift, move or carry equipment. Do NOT coil or knot electrical cords, and ensure electrical cords are not trip hazards. 	<ul style="list-style-type: none"> The equipment must be serviced or repaired at authorised service centres by qualified personnel only. Replacement parts must be original equipment manufacturer (OEM) to ensure equipment safety is maintained. Do NOT attempt any maintenance or repair work not described in this manual. After use, the equipment and components may still be hot – allow the equipment to cool and disconnect spark plugs and/or electrical power sources and/or batteries from it before adjusting, changing accessories or performing repair or maintenance. Do NOT adjust while the equipment is running. Perform service related activities in suitable conditions, such as a workshop. Replace worn, damaged or missing warning/safety labels immediately.

Ride-On Toy Safety

FOR THE SAFETY OF YOUR CHILD, PLEASE READ ALL WARNINGS AND ASSEMBLY /USE INSTRUCTIONS. KEEP THIS USER MANUAL FOR FUTURE REFERENCE.

- Not Suitable for children under 36 months. Choking hazard due to small parts.
- Keep the packing bags and other plastic material away from children so as to avoid choking hazards.
- For family and domestic use only.
- Not to be used in traffic.
- Adult assembly required.
- Warning! Protective equipment should be worn.
- The child must sit on the seat while he/she is driving.
- This toy has no brake.
- This toy is unsuitable for children under 3 years due to its maximum speed.
- This toy contains batteries that are non-replaceable.

PREVENT INJURIES AND DEATHS:

- NEVER LEAVE CHILD UNATTENDED. DIRECT ADULT SUPERVISION IS REQUIRED.** Always keep child in view when child is in vehicle.
- Never use in roadways, near cars, on or near steep inclines or steps, swimming pools or other bodies of water.
- Always wear shoes.
- Always sit on the seat.
- Suitable for age 3+ years, Maximum user weight is kgs.
- Not to be used in traffic.
- Important!** Before using the vehicle for first time, the battery needs to be charged for 4 to 6 hours, no more than 10 hours. Only an adult can charge or recharge the battery.
- Finishing the complete car to assemble according to the steps that the manual described. The plug-in package of storage battery has already been inserted well; the power has already been put through.
- All screws are secured and locked.

Rules for Safe Riding

- This toy has no break. Always wear a helmet and protective clothing when riding.
- Direct Adult Supervision Required.
- Keep Children within Safe Riding Areas.
- Never driving in roadway, near motor vehicles, on lawn space, on near steep inclines or steps, swimming pools or other bodies of water.
- Use the toy only on flat surfaces. such as inside your house, garden or playground.
- Never use in the dark. A child could encounter unexpected obstacles and have an accident. Operate the vehicle only in the daytime or a well-lit area.
- It is not recommended to drive the vehicle on wet surfaces or on slopes of greater than 15 degrees.
- Do not use this vehicle outdoors when it is raining or snowing.
- Make sure you come to a complete stop before changing directions from forward to back.
- Please follow the correct weight and age limits allowed to drive this vehicle.

Kids Ride-On ATV Quad Bike

- It is prohibited to change the circuit or add other electric parts
- Inspect wires and connections of the vehicle periodically.
- In order to avoid accidents, please ensure the vehicle is safe before riding.
- Do not let any child touch the wheels or be near them when the car is moving.
- This vehicle has adjustable play seat belts. please instruct children how to tie the safety belt before using, guarantee the security.

Battery Charging Safety

PREVENT FIRE AND ELECTRIC SHOCK:

- Use the only rechargeable battery and charger supplied with your vehicle. NEVER substitute the battery or the charger with another brand. Using another battery or charger may cause a fire or explosion.
- Do not use the battery or charger for any other product. Overheating, fire or explosion could occur.
- NEVER modify the electric circuit system. Tampering with the electric system may cause a shock, fire or explosion or my permanently damage the system.
- Do not allow direct contact between battery terminals. Fire or explosion can occur.
- Do not allow any type of liquid on the battery or its components.
- Explosive gasses are created during charging. Do not charge near heat or flammable materials. Charge the battery in a well-ventilated area ONLY.
- NEVER pick up the battery by the wires or charger. Damage can occur to the battery and may cause a fire. Pick up the battery by the case ONLY.
- Charge the battery in a dry area ONLY.
- Remove high-lighted section. **Wash hands after handling.**
- Do not open the battery. Battery contains lead acid and other materials that are toxic and corrosive.
- Do not open the charger. Exposed wiring and circuitry inside case may cause electric shock. Only adults may handle or charge the battery. NEVER allow child to handle or charge the battery. Battery is heavy and contains lead acid (electrolyte).
- Do not drop the battery. Permanent damage to the battery could occur or cause serious injury.
- Before charging the battery, check for wear or damage to the battery, charger, its supply cord and the connectors. DO NOT charge the battery if any damage to parts has occurred.
- Do not allow the battery to drain completely. Recharge the battery after each use or once a month if not used regularly.
- Do not charge battery upside down.
- Always secure the battery with the bracket. Battery can fall out and injure a child if vehicle tips over.
- A recommendation for adult supervision of young children.
- The toy should be used with caution since skill is required to avoid falls or collisions causing injury to the user or third parties.

Safety Symbols

The product may have safety warning labels attached to it, explained below. Understand the symbols on your product and their meanings. If any stickers become unreadable, unattached etc., replace them.

 <p>Flammable Material Hazard Flammable liquids, gases or substances etc may present. Avoid ignition sources and open flames. Danger of fire.</p>	 <p>Read User Manual Read and fully understand product safety warnings, operation, procedures etc before using the product.</p>	 <p>Use Hand Protection Wear appropriate hand protection and take due care as the product or use of the product may present hand hazards.</p>	 <p>WARNING EXHAUST FUMES Carbon-Monoxide Hazard Do not use the product in confined areas or without adequate ventilation. Carbon-monoxide poisoning can be fatal.</p>
 <p>Electrocution / Electrical Shock Hazard High voltage or high current electricity may be present or required by the product. Take due care when handling electrical products, cables, plugs and leads. Electrical shock can be fatal.</p>	 <p>Toxic Fumes / Dust Hazard Using the product or by-products from use may produce fumes, smoke or particles that could be harmful if inhaled. Wear appropriate breathing protection and have adequate ventilation.</p>	 <p>Explosive Material Hazard Combustible liquids, gases or substances etc may be present. Avoid ignition sources and open flames. Danger of explosion.</p>	 <p>Cutting / Amputation Hazard The product may have blades, edges or mechanical devices that can cause severe cut injury to fingers, limbs etc. Take due care when handling and using the product.</p>
 <p>Crush Hazard The product may have blades, edges or mechanical devices that can cause severe crush injury to fingers, limbs etc. Take due care when handling and using the product.</p>	 <p>Single Operator Only The product must be operated by a single person only. More than one person operating the product may introduce additional hazards.</p>	 <p>Use Face Protection Wear appropriate full-face protection and take due care as the product or use of the product may present face and eye hazards.</p>	 <p>Use Foot Protection Wear appropriate foot protection and take due care as the product or use of the product may present foot hazards.</p>
 <p>Use Eye / Ear / Head Protection Wear appropriate eye and / or ear and / or head protection and take due care as the product or use of the product may present eye, hearing and head hazards.</p>	 <p>Running Hazard Do not run on or near the product as doing so may present a fall hazard.</p>	 <p>Diving Hazard Do not dive into the product as doing so may present a neck / head injury hazard.</p>	 <p>Adult Supervision Required Always supervise children and other users of a product to prevent drowning or injury.</p>
 <p>Skin Penetration / Puncture Hazard The product may produce pressure, emit liquids or objects that can cause severe injury to fingers, limbs, blood etc. Take due care when handling and using the product.</p>	 <p>Hot Surface Hazard Be aware that the product may produce high temperatures and hot surfaces that can cause burn injuries.</p>	 <p>Flying Debris Hazard Be aware that the product or use of the product may present hazards produced by flying debris. Wear appropriate clothing and protective devices.</p>	 <p>Moving Parts Hazard Be aware that the product contains or uses mechanical devices that move or rotate. Always wait for moving parts to stop fully before handling the product, adjusting, maintenance etc.</p>

 <p>Carbon-Monoxide Hazard Do not use the product in confined areas or without adequate ventilation. Carbon-monoxide poisoning can be fatal.</p>	 <p>Pull Hazard Be aware that the product contains or uses mechanical devices that can pull in objects and can cause severe injury to fingers, limbs etc. Take due care when handling and using the product.</p>	 <p>Slope / Fall Injury Hazard Be aware that using the product on sloping surfaces or in slippery conditions may present additional dangers from falls and contact with blades, moving parts, hot surfaces etc.</p>	 <p>"Slam Dunk" Warning Do NOT attempt "slam dunk" manoeuvres as this may result in severe injury due to falling, product breakage or collapse etc.</p>
 <p>Electrocution / Electrical Shock Hazard - Outdoor High voltage or high current electricity may be present or required by the product. Do NOT use in rain, damp or wet conditions. Electrical shock can be fatal.</p>	 <p>Electrocution / Electrical Shock Hazard - Disconnect High voltage or high current electricity may be present or required by the product. Always disconnect the product from the electrical supply before handling the product, adjusting, maintenance etc.</p>	 <p>Power Line Electrocution Hazard High voltage / high current power lines may be present. Use extreme caution to avoid contact or interference with power lines. Electrical shock can be fatal.</p>	 <p>"Kick-Back" Hazard High level of "kick-back" hazard that can cause the machine to suddenly rotate towards operator. Kick-back injury can be fatal.</p>
 <p>Winch Operator Position Hazard Do NOT stand between winch and load. Do NOT use winch to move people.</p>	 <p>Winch Lift Hazard Do NOT LIFT load vertically. Use machine to PULL only.</p>	 <p>Cable Hazard Ensure that load bearing cable is not kinked or knotted.</p>	 <p>Winch Cable Hazard Ensure that there is a minimum number of cable coils on winching mechanism.</p>
 <p>Winch Hook Hazard Carry hook to load – do NOT throw or run.</p>	 <p>Flash / Blinding Hazard Wear appropriate eye protection for welding. Direct exposure to weld arcs may cause permanent eye injury.</p>	 <p>Laser Hazard Laser may be in use – do NOT look directly at laser or allow others to.</p>	


Table of Contents

Safety	2
Safety Symbols	5
Parts Identification	8
Assembly	9
Installing the Bumper, Support Frame and Front Axle	9
Installing the Steering Rod and Rear Support	9
Installing the Front and Rear Wheels	10
Installing the Steering Wheel and Seat	10
Installing the Windshield and Backrest	11
Operation	12
Charging the Battery	12
Using the Ride-On Quad Bike	13
Lithium Battery Care and Maintenance	14
Top 3 Battery Care Requirements	14
Maintenance	15
Troubleshooting	16
Specifications	17

Parts Identification

No.	Name	No.	Name
1	Wheels	8	Steering Wheel
2	Wheel Covers	9	Seat
3	Front Bumper	10	Charger
4	Support Bracket	11	Front Axle
5	Car Body	12	Rear Axle
6	Rear Sports Bar		
7	Front Sports Bar		

Note: Some parts need to be installed on both sides.



Note: Put keep plastics and packaging away from children to avoid asphyxiation. Assembly should be done by an adult. Assembly tools not included. Contains small parts not suitable for very young children, aged 3 and under.

Video Tutorial:


[Typical Ride-On Car Assembly](#)

Assembly






- The vehicle must be assembled by adults, which would take about 10 minutes.
- You would need a screwdriver (not provided) for assembly.
- Don't let children touch or play the small components so as to avoid choking hazards.
- Please check the quantity of the components before assembling. Deal with the plastic bags properly and don't let children play with the bags to avoid choking hazards.

Installing the Bumper, Support Frame and Front Axle



1. Turn the car body upside-down.
2. Install the bumper with 2pcs. of $\Phi 4*14$ mm screws.
3. Install the support bracket on the front end the car body and secure it with 5pcs. of $\Phi 4*14$ mm screws.
4. Install the front axle on the front end of the round hole and secure it with 2pcs. of $\Phi 8$ gaskets and M8 nuts (Note: the front axle cannot be installed in reverse).


Installing the Steering Rod and Rear Support



1. Turn the car body upside-down.
2. Insert the steering rod from the bottom to the top and secure it with a $\Phi 5*25$ mm screw and an M5 nut.
3. Install the supporting parts.

As shown in the image above, open the large frame and install the supporting parts on the large frame with 2pcs. of $\Phi 5*55$ mm screws and 2pc M5 nuts and install the supporting parts on the body.

Installing the Front and Rear Wheels



1. Install the front wheels on the front axle with $\Phi 12$ and $\Phi 10$ gaskets and secure them with M8 nuts.
2. Install the wheel covers and secure them with 3pcs. of $\Phi 4*14$ mm screws (Note: The front wheel installation method is the same).
3. Install the rear wheels on the rear axle with $\Phi 10$ gaskets and secure them with M8 nuts.
4. Install the wheel covers and secure them with 3pcs. of $\Phi 4*14$ mm screws (Note: The rear wheel installation method is the same).

Installing the Steering Wheel and Seat



1. **Installing the steering wheel:** First, connect the wire terminal before installation and secure it with $\Phi 5*40$ mm and M5 nuts (Note: the steering wheel can't be mounted back).
2. **Installing the seat:** Install the seat on the car body and secure it with 2pcs. of $\Phi 4*12$ mm screws and 3pcs. of $\Phi 4*14$ mm screws.

Installing the Windshield and Backrest



1. **Windshield:** install the windshield on the car body.
2. **Backrest:** install the backrest on the car body.

NOTE: Please remove the terminal cover first when assembling the battery (see image below).



Operation

Charging the Battery

NOTE: • This ride-on car is equipped with a Charging Protection function. When charging, all functions will be inoperable. • The power switch must be turned in OFF position when charging. • Before the first use, you should charge the battery for 4-6 hours. Do not recharge the battery for more than 10 hours to avoid overheating the charger. • When the vehicle begins to run slowly, recharge the battery. • After each use or once a month minimum recharge time as 8 to 12 hours, no more than 20 hours.

1. Insert the plug of the charger into the charging hole.
2. Insert the other plug of the charger into the socket of power supply.
3. This product is powered by a lead-acid accumulator, so its electricity should never be used up. The accumulator should be charged in time, otherwise it may be seriously damaged.



NOTE: • Toys with battery chargers need regular inspection of the wires, plug and other components for any signs of damages. If found, stop using the toy immediately and have it repaired by an authorised mechanic. • Never insert any metallic objects into the charging hole to avoid short-circuiting/damaging the toy. • Do not mix alkaline standard(carbon-zinc), or rechargeable (nickel-cadmium) batteries.

Using the Ride-On Quad Bike



→ Music button (if equipped)

→ Foot pedal

→ Forward/Reverse gear

- **Music button (if equipped):** Press this button to hear horn sounds or music.
- **Power switch:** Turn the power ON/OFF.
- **Forward/Reverse gear:** Controls the car's moving direction together with the use of the foot pedal.
- **Charging hole:** See [Charging the Battery](#).
- **Foot pedal:** Controls the car's moving direction together with the use of the Forward/Reverse gear.
- **Volume Adjustment (if equipped):** Controls the music volume.
- **3.5mm Audio Frequency Interface (if equipped)**

PLEASE NOTE: Not all units are equipped with music, stories, songs, MP3, AUX or SD card functionality. Please refer the product listing.

Lithium Battery Care and Maintenance

Top 3 Battery Care Requirements

1. **Charge battery before first use.** The battery may arrive with some charge, regardless of this the battery must be charged for 4 – 6 hours on the initial charge and 8 – 12 hours for each subsequent charge. 
2. **Charge battery immediately when it is depleted.** Do not store a depleted battery. This will permanently impact the life of the battery. If the battery is going to be stored for a period of time, fully charge the battery before storing. 
3. **Disconnect battery when not in use.** To prolong the life of a battery, disconnect it from the unit when not in use. Disconnect chargers from the battery once charged. 

To ensure the battery maintains optimum performance, follow the guidelines outlined below.

- For best results, charge batteries in temperatures between 10°C and 30°C
- When battery is charged, disconnect the charger from the power supply and remove the battery from the charger.
- If a battery is stored or otherwise unused for an extended period, and the battery has no charge remaining when you check it, consider it to be damaged. Do not attempt to recharge it or to use it. Replace it with a new battery.
- Use only with the battery charger specified by the manufacturer.
- Ensure that the battery charger electrical cord is not subjected to damage or stress. Do not operate the battery charger if it has a damaged electrical cord or plug.
- Do not use the charger in wet areas or expose it to rain or water.
- The typical estimated life of a Lithium-Ion battery is about two to three years or 300 to 500 charge cycles, whichever occurs first. One charge cycle is a period of use from fully charged, to fully discharged, and fully recharged again.
- Explosion hazard – protect the battery against heat; for example, direct sunlight and fire. Do not store batteries in vehicles or locations subject to heat.
- Batteries can explode in the presence of an ignition source, such as a pilot light. To reduce the risk of serious personal injury, never use any cordless product in the presence of open flame. Exploding batteries can propel debris and chemicals.
- Do not open the battery – danger of short-circuiting and/or explosion.
- Do not attempt to destroy or disassemble the battery pack or remove any of its components.
- Do not touch the battery terminals with metal objects and/or body parts as short-circuit and/or personal injury may result.
- Explosion hazard – do not open and/or short-circuit the battery.
- Poison hazard – battery leakage (liquid ejection). Under extreme conditions, liquid may be ejected from the battery – avoid contact. If contact accidentally occurs, immediately seek medical attention, and flush with water. If liquid contacts eyes, immediately seek medical attention, flush with clean water for at least 10 minutes. Liquid ejected from the battery may cause irritation or burns.
- Dispose of non-serviceable batteries in an environmentally responsible manner and according to local regulations.

Failure to adhere to the requirements above may result in the battery becoming inoperative or battery life being reduced. In extreme cases or abuse, battery overheating, or fire may result.

Maintenance

- The main parts of the vehicle should be examined before being put into use. It should not be used when the accumulator, the charge, the wires, the plugs, the shell or other parts are damaged, or the screws are loosened, or there are any potential safety loopholes, until it has been repaired.
- Lubricate the iron parts of the vehicle with a little lubricant after the vehicle has been used for a period of time so as to avoid these parts being worn or rusted.
- The vehicle should be kept away from fire or long time sunshine. It should be placed flatwise and never let it be upside down or inclined; During the wet days, it should be parked covered with waterproof cloth or indoors.
- The vehicle should be kept away from hot objects, such as stoves and heaters, as the plastic parts may melt. While the vehicle is being charged, keep the vehicle away from combustibles so as to avoid fire.
- The vehicle should be charged in time when it is short of electricity, and it must be charged by adults. Before it is stored, the vehicle must be charged fully, and while it is kept in store it should be charged once every month, so as to prolong the accumulator's life-span.
- The vehicle can be cleaned with dry soft cloth. The plastic components can also be polished with non-wax polishing material so that their brightness can be improved, but chemical solvents should not be used in doing so. The vehicle can't be washed with soap and water or be driven outdoors when it is raining or snowing, as water may damage the motor, the circuitry system and the accumulator.
- Turn off the power and push all the switches to "off" when the vehicle is not used or it will be stored.
- Don't use fuses that are not in accord with the specifications of this product.
- Don't change the structure or the circuitry system of this product, and it should be examined or fixed by professionals or under their instruction.

Troubleshooting

Trouble type	How to check it	How to possibly fix it
The motor isn't working	Is the overload protector blown (located under the seat)?	If yes, the overload protector automatically cuts-off when the vehicle is overloaded or improperly operated; if no, see the next item.
	Is the foot switch well connected?	If no, repair the foot switch; If yes, see the next item.
	Are the wires welded well on the ends of the motor?	If no, weld the ends well; If yes, see the next item.
	Are the wire connectors well connected with the motor?	If no, connect the connectors well; If yes, see the next item.
	Will the motor work when it is connected directly with accumulator?	If no, change the motor with a new one; If yes, the driving circuitry board needs professional repair. Please contact authorized agents or distributors.
The vehicle can't move forward or backward	Check the forward/reverse gear with a multi-meter and see if it's well-connected.	If no, change the forward/backward switch with a new one; If yes, see the next item.
	Are the driving circuitry and the forward/backward switch well connected?	If no, connect the wires well; If yes, there is something wrong with the driving circuitry board. Please contact authorized agents or distributors.
The vehicle moves slowly	Is the voltage of the accumulator over 6V (one drive) or 12V (two drives)?	If no, charge the accumulator; If yes, see the next item.
	Will the vehicle move faster when the motor (gear case) is connected directly with the accumulator?	If yes, there is something wrong with the driving circuitry board. Please contact authorized agents or distributors. If no, see the next item.
The accumulator cannot be charged.	Had the connectors of the accumulator been loosened or dropped?	If yes, connect the connectors well; If no, see the next item.
	Will the charger become a little warmer while it is being charged?	If no, the charger is damaged. Replace it with a new one.
The vehicle can move but there is no sound or light	Is the sound and light switch in good condition?	If no, change the switch with a new one; If yes, see the next item.
	Check the wires and connectors from the head of the vehicle to the accumulator and see if they are in good condition.	If no, connect the connectors and the wires well.
Wheels don't move	Can the driving wheels turn?	If yes, let the wheels touch the ground; If no, see the next item.
	Check the gear case and see if the gear wheels are damaged	If yes, change the gear case with a new one.
The vehicle often stops while it's moving	Is the vehicle overloaded (over 30 kg)?	If yes, nothing is wrong with the vehicle; If no, see the next item.
	Is the vehicle being driven on a bumpy/uneven surface?	If yes, nothing is wrong with the vehicle, as it should be driven on concrete road; if no, see the next item.
	Can the non-driving wheel be turned freely?	If no, repair the wheels or the axles.

If the user is unable to apply the above troubleshooting methods, please contact authorised agents or distributors.

Specifications

Speed Range	3-5km/h
Gears	Forward and Reverse
Motor	70W (2 x 35W)
Suspension	Yes
Max Capacity	30kg
Suitable Age	3-8 Years Old
Power Plug	Australian Standard



Some experts believe that the incorrect or prolonged use of almost any product may cause serious injury or death. To help reduce your risk of serious injury or death, refer to the information below. For more information, see www.datastreamserver.com/safety

- Consult all documentation, packaging and product labelling before use. Note that some products feature documentation available online. It is recommended to print and retain the documentation.
- Before each use, check the product for loose/broken/damaged/missing parts, wear or leaks (if applicable). Never use a product with loose/broken/damaged/missing parts, wear or leaks.
- Products must be inspected and serviced (if applicable) by a qualified technician every 6 months. This is based on average residential use by persons of average size and strength, and on a property of average metropolitan size. Use beyond these recommendations may require more frequent inspections/servicing.
- Ensure that all users of the product have completed a suitable industry recognised training course before being allowed access to the product.
- The product has been supplied by a general merchandise retailer that may not be familiar with your specific application or description of application. Be sure to attain third-party approval from a qualified specialist for your application before use, regardless of any assurances from the retailer or its representatives.
- This product is not intended for use where fail-safe operation is required. As with any product (for example, automobile, computer, toaster), there is the possibility of technical issues that may require the repair or replacement of parts, or the product itself. If the possibility of such failure and the associated time it may take to rectify could in any way inconvenience the user, business or employee, or financially affect the user, business or employee, then the product is not suitable for your requirements. This product is not intended for use where incorrect operation or a failure of any kind, including but not limited to, a condition requiring product return, replacement, parts replacement or service by a technician may cause financial loss, loss of employee time or an inconvenience requiring compensation.
- If this product has been purchased in error when considering the information presented here, contact the retailer directly for details of their returns policy, if required.

