



KID'S TRAMPOLINE

USER MANUAL

RETAIN THIS MANUAL FOR FUTURE REFERENCE

PLEASE READ THIS MANUAL CAREFULLY BEFORE USE

ASSEMBLY INSTRUCTIONS

Note: Only set up your trampoline on a flat, solid surface. During assembly, consider the position of the basketball hoop and the entrance to the safety net.

1. Make sure you have all boxes that came with your trampoline.
2. Take all the contents out to check that you have all the components prior to setup



3. Start by laying down the circular frame pieces in position
4. Join the circular frame pieces. The last connection is made easier if you push both pieces to the centre of the circle while joining them



5. Screw all joints together



6. Connect the legs to the base pieces of the trampoline
7. Loosely fasten screws to legs
8. Attach the legs to the circular frame



9. Hook all springs onto the frame



The U shaped end goes into the trampoline frame. The end with a more distinctive curl (shown above on the right side) hooks onto the trampoline net.

Connecting the Mat

You will need to use the spring attaching tool for this section.

10. Spread the mat on the ground.
11. Take one spring off the frame and hook it onto a mat loop
12. Continue hooking the mat on in this order (utilise the spring tool as pictured)



- First 2 springs at 12 and 6 o'clock

Be sure to count the springs and mat loops accurately so the correct spring is connected to the correct loop.

- Next 2 springs at 3 and 9 o'clock
- Then continue with remaining springs

**Connecting the Safety Net Posts**



13. Join the safety net poles together, then insert into the blue foam padding



14. Locate the end with the two holes

15. Slide the plastic sleeves over the safety net poles so that the large opening of the plastic sleeve is at the end with two holes in the poles

16. Attach the safety net poles to the trampoline legs using the following fasteners



17. Insert the rubber bolt protection tips on any protruding bolts (Fig. A)
18. Firmly tighten all the loosely fastened leg screws (Fig. B)




Fig. A

Fig. B

19. a. Plug the plastic T tips into the tops of the safety net pole.

b. Note that one pole has a forked head.

The T tip should be plugged into the vertical fork as the basketball hoop connects to the other one.



Fitting the Spring Protection Padding


20. Lay out the spring protection padding
21. Fit the padding curtain to the frame as pictured below



22. Thread a fibreglass rod through the safety net's top trimming
23. Insert the fibreglass rod into the T tips on top of the safety net
24. Repeat for all rods
25. Thread the safety nets base hooks through the closest mat-to-spring hoop and connect to an adjacent hoop




26. Connect the shoe holder netting to the circular frame and adjacent legs (see below):



27. On the underside of the trampoline, loosely tie the elastic cords.

Note: tying too tightly will snap the elastic when the trampoline is in use.



28. Hook the ladder in front of the zipped safety net entrance.



29. Attach the basketball hoop to the back-board with the metal bracket and fasteners provided (Fig. A)

30. Clip the backboard onto the safety net pole with the second, free forked tip (Fig. B)



Fig. A



Fig. B

31. The needle adapter for pumping the basketball is located in the pumps handle. Screw it on and pump the ball to a suitable pressure – do not overinflate.





Some experts believe the incorrect or prolonged use of almost any product could cause serious injury or death. For information that may reduce your risk of serious injury or death consult the points below and additionally, the information available at www.datastreamserver.com/safety

- Consult all documentation, packaging and product labelling before use. Note that some products feature online documentation which should be printed and kept with the product.
- Check product for loose / broken / damaged / missing parts, wear or leaks (if applicable) before each use. Never use a product with loose / broken / damaged / missing parts, wear or leaks (if applicable).
- Products must be inspected and serviced (if applicable) by a qualified specialist every 6 months assuming average residential use by a person of average weight and strength, above average technical aptitude, on a property matching average metropolitan specification. Intended use outside these guidelines could indicate the product is not suitable for intended use or may require more regular inspection or servicing.
- Ensure all possible users of the product have completed an industry recognised training course before being given access to the product.

- The product has been supplied by a general merchandise retailer that may not be familiar with your specific application or your description of the application. Be sure to attain third party approval for your application from a qualified specialist before use regardless of prior assurances by the retailer or its representatives.
- This product is not intended for use where fail-safe operation is required. As with any product (take an automobile, aircraft, computer or ball point pen for example) there is always a small chance of a technical issue that needs to be repaired or may require replacement of the product or a part. If the possibility of such failure and the associated time it takes to rectify could in any situation inconvenience the user, business or employee or could financially affect the user, business or employee then the product is not suitable for your requirements. This product is not for use where incorrect operation or a failure of any kind, including but not limited to a condition requiring product return, replacement, service by a technician or replacement of parts could cause a financial loss, loss of employee time or an inconvenience requiring compensation.
- If this item has been purchased in error considering the points above simply contact the retailer directly for details of their returns policies if required.

