



Kids Electric Ride-On Car Lamborghini



Colours may vary

User Manual




[Revision 5.0 April 2020]

READ THIS MANUAL CAREFULLY BEFORE USE – FAILURE TO DO SO MAY RESULT IN INJURY, PROPERTY DAMAGE AND MAY VOID WARRANTY. • KEEP THIS MANUAL FOR FUTURE REFERENCE. • Products covered by this manual may vary in appearance, assembly, inclusions, specifications, description and packaging.

THE BATTERY MAY HAVE SOME CHARGE ON ARRIVAL, IT IS IMPORTANT HOWEVER THAT THE BATTERY IS CHARGED PRIOR TO USE.

Safety

Safety messages are designed to alert you to possible dangers or hazards that could cause death, injury or equipment or property damage if not understood or followed. Safety messages have the following symbols:





















 You WILL be KILLED or SERIOUSLY INJURED if you do not follow instructions.	 You CAN be KILLED or SERIOUSLY INJURED if you do not follow instructions.	 You CAN be INJURED if you do not follow instructions or equipment damage may occur.
<p>It is vital that you read and understand this user manual before using the product, including safety warnings, and any assembly and operating instructions. Keep the manual for future reference.</p> <p>Safety precautions and recommendations detailed here must be fully understood and followed to reduce the risk of injury, fire, explosion, electrical hazard, and/or property damage.</p> <p>Safety information presented here is generic in nature – some advice may not be applicable to every product. The term "equipment" refers to the product, be it electrical mains powered, battery powered or combustion engine powered.</p> <ul style="list-style-type: none"> • Before Use - If you are not familiar with the safe operation/handling of the equipment, or are in any way unsure of any aspect of suitability or correct use for your application, you should complete training conducted by a person or organization qualified in safe use and operation of this equipment, including fuel/electrical handling and safety. • Do NOT operate the equipment in flammable or explosive environments, such as in the presence of flammable liquids, gases or dust. The equipment may create sparks or heat that may ignite flammable substances. • Keep clear of moving parts. • Equipment may be a potential source of electric shock or injury if misused. • Do NOT operate the equipment if it is damaged, malfunctioning or is in an excessively worn state. • Do NOT allow others to use the equipment unless they have read this manual and are adequately trained. • Keep packaging away from children - risk of suffocation! Operators must use the equipment correctly. When using the equipment, consider conditions and pay due care to persons and property. <p>General Work Area Safety</p> <ul style="list-style-type: none"> • Work areas should be clean and well lit. • Do not operate the equipment if bystanders, animals etc are within operating range of the equipment or the general work area. • If devices are provided for connecting dust extraction / collection facilities, ensure these are connected and used properly. Dust collection can reduce dust-related hazards. 	<p>General Personal Safety</p> <ul style="list-style-type: none"> • Wear appropriate protective equipment when operating, servicing, or when in the operating area of the equipment to help protect from eye and ear injury, poisoning, burns, cutting and crush injuries. Protective equipment such as safety goggles, respirators, non-slip safety footwear, hard hat, hearing protection etc should be used for appropriate equipment / conditions. Other people nearby should also wear appropriate personal protective equipment. Do not wear loose clothing or jewellery, which can be caught in moving parts. Keep hair and clothing away from the equipment. • Stay alert and use common sense when operating the equipment. Do not over-reach. Always maintain secure footing and balance. • Do not use the equipment if tired or under the influence of drugs, alcohol or medication. • This equipment is not intended for use by persons with reduced physical, sensory or mental capabilities. <p>General Fuel Safety</p> <ul style="list-style-type: none"> • Petrol/fuel/gasoline is extremely flammable – keep clear of naked flames or other ignition sources. • Do not spill fuel. If you spill fuel, wipe it off the equipment immediately – if fuel gets on your clothing, change clothing. • Do NOT smoke near fuel or when refuelling. • Always shut off the engine before refuelling. • Do NOT refuel a hot engine. • Open the fuel cap carefully to allow any pressure build-up in the tank to release slowly. • Always refuel in well ventilated areas. • Always check for fuel leakage. If fuel leakage is found, do not start or run the engine until all leaks are fixed. <p>General Carbon-Monoxide Safety</p> <ul style="list-style-type: none"> • Using a combustion engine indoors CAN KILL IN MINUTES. Engine exhaust contains carbon-monoxide – a poison you cannot smell or see. • Use combustion engines OUTSIDE only, and far away from windows, doors and vents. 	<p>General Equipment Use and Care</p> <ul style="list-style-type: none"> • The equipment is designed for domestic use only. • Handle the equipment safely and carefully. • Before use, inspect the equipment for misalignment or binding of moving parts, loose components, damage or any other condition that may affect its operation. If damaged, have the equipment repaired by an authorised service centre or technician before use. • Prevent unintentional starting of the equipment - ensure equipment and power switches are in the OFF position before connecting or moving equipment. Do not carry equipment with hands or fingers touching any controls. Remove any tools or other items that are not a part of the equipment from it before starting or switching on. • Do not force the equipment. Use the correct equipment for your application. Equipment will perform better and be safer when used within its design and usage parameters. • Use the equipment and accessories etc. in accordance with these instructions, considering working conditions and the work to be performed. Using the equipment for operations different from those intended could result in hazardous situations. • Always keep equipment components (engines, hoses, handles, controls, frames, housings, guards etc) and accessories (cutting tools, nozzles, bits etc) properly maintained. Keep the equipment clean and, where applicable, properly lubricated. • Store the equipment out of reach of children or untrained persons. To avoid burns or fire hazards, let the equipment cool completely before transporting or storing. Never place or store the equipment near flammable materials, combustible gases or liquids etc. • The equipment is not weather-proof, and should not be stored in direct sunlight, at high ambient temperatures or locations that are damp or humid. • Do not clean equipment with solvents, flammable liquids or harsh abrasives. • For specific equipment safety use and care, see Equipment Safety.

<p>General Electrical Safety</p> <ul style="list-style-type: none"> Inspect electrical equipment, extension cords, power bars, and electrical fittings for damage or wear before each use. Repair or replace damaged equipment immediately. Ensure all power sources conform to equipment voltage requirements and are disconnected before connecting or disconnecting equipment. When wiring electrically powered equipment, follow all electrical and safety codes. Wherever possible, use a residual current device (RCD). High voltage / high current power lines may be present. Use extreme caution to avoid contact or interference with power lines. Electrical shock can be fatal. 	<p>General Electrical Safety</p> <ul style="list-style-type: none"> Electrically grounded equipment must have an approved cord and plug and be connected to a grounded electrical outlet. Do NOT bypass the ON/OFF switch and operate equipment by connecting and disconnecting the electrical cord. Do NOT use equipment that has exposed wiring, damaged switches, covers or guards. Do NOT use electrical equipment in wet conditions or in damp locations. Do NOT use electrical cords to lift, move or carry equipment. Do NOT coil or knot electrical cords, and ensure electrical cords are not trip hazards. 	<p>General Service Information</p> <ul style="list-style-type: none"> The equipment must be serviced or repaired at authorised service centres by qualified personnel only. Replacement parts must be original equipment manufacturer (OEM) to ensure equipment safety is maintained. Do NOT attempt any maintenance or repair work not described in this manual. After use, the equipment and components may still be hot – allow the equipment to cool and disconnect spark plugs and/or electrical power sources and/or batteries from it before making adjustments, changing accessories or performing repair or maintenance. Do NOT make adjustments while the equipment is running. Perform service related activities in suitable conditions, such as a workshop. Replace worn, damaged or missing warning/safety labels immediately.
<p>Special Instructions</p> <ul style="list-style-type: none"> NEVER LEAVE CHILD UNATTENDED. DIRECT ADULT SUPERVISION IS REQUIRED. Always keep child in view when child is in vehicle. This toy should be used with caution since skill is required to avoid falls or collisions causing injury to the user or third parties. Protective equipment should be worn. Never use in roadways, near cars, on or near steep inclines or steps, swimming pools or other bodies of water. Always wear shoes. Always sit on the seat. Not to be used in traffic. This toy is unsuitable for children under 18 months due to its maximum speed; Maximum user weight is 30kg. This toy has no brake. 	<p>Rules for Safe Riding</p> <ul style="list-style-type: none"> Keep Children within safe riding areas; never use on roadways, near motor vehicles, on lawn space, on or near steep inclines or steps, swimming pools or other bodies of water. Use the toy only on flat surfaces, such as inside your house, garden or playground. Never use in the dark. A child could encounter unexpected obstacles and have an accident. Operate the vehicle only in the daytime or a well-lit area. DO NOT change the circuit or add other electric parts. <p>Inspect wires and connections of the motorbike periodically.</p> <p>Do not let any child touch the wheels or be near them when the car is moving.</p>	



Safety Symbols

The product may have safety warning labels attached to it, explained below. Understand the symbols on your product and their meanings. If any stickers become unreadable, unattached etc, replace them.

 <p>Flammable Material Hazard Flammable liquids, gases or substances etc may present. Avoid ignition sources and open flames. Danger of fire.</p>	 <p>Read User Manual Read and fully understand product safety warnings, operation, procedures etc before using the product.</p>	 <p>Use Hand Protection Wear appropriate hand protection and take due care as the product or use of the product may present hand hazards.</p>	 <p>Carbon-Monoxide Hazard Do not use the product in confined areas or without adequate ventilation. Carbon-monoxide poisoning can be fatal.</p>
 <p>Electrocution / Electrical Shock Hazard High voltage or high current electricity may be present or required by the product. Take due care when handling electrical products, cables, plugs and leads. Electrical shock can be fatal.</p>	 <p>Toxic Fumes / Dust Hazard Using the product or by-products from use may produce fumes, smoke or particles that could be harmful if inhaled. Wear appropriate breathing protection and have adequate ventilation.</p>	 <p>Explosive Material Hazard Combustible liquids, gases or substances etc may be present. Avoid ignition sources and open flames. Danger of explosion.</p>	 <p>Cutting / Amputation Hazard The product may have blades, edges or mechanical devices that can cause severe cut injury to fingers, limbs etc. Take due care when handling and using the product.</p>
 <p>Crush Hazard The product may have blades, edges or mechanical devices that can cause severe crush injury to fingers, limbs etc. Take due care when handling and using the product.</p>	 <p>Single Operator Only The product must be operated by a single person only. More than one person operating the product may introduce additional hazards.</p>	 <p>Use Face Protection Wear appropriate full-face protection and take due care as the product or use of the product may present face and eye hazards.</p>	 <p>Use Foot Protection Wear appropriate foot protection and take due care as the product or use of the product may present foot hazards.</p>
 <p>Use Eye / Ear / Head Protection Wear appropriate eye and / or ear and / or head protection and take due care as the product or use of the product may present eye, hearing and head hazards.</p>	 <p>Running Hazard Do not run on or near the product as doing so may present a fall hazard.</p>	 <p>Diving Hazard Do not dive into the product as doing so may present a neck / head injury hazard.</p>	 <p>Adult Supervision Required Always supervise children and other users of a product to prevent drowning or injury.</p>
 <p>Skin Penetration / Puncture Hazard The product may produce pressure, emit liquids or objects that can cause severe injury to fingers, limbs, blood etc. Take due care when handling and using the product.</p>	 <p>Hot Surface Hazard Be aware that the product may produce high temperatures and hot surfaces that can cause burn injuries.</p>	 <p>Flying Debris Hazard Be aware that the product or use of the product may present hazards produced by flying debris. Wear appropriate clothing and protective devices.</p>	 <p>Moving Parts Hazard Be aware that the product contains or uses mechanical devices that move or rotate. Always wait for moving parts to stop fully before handling the product, adjusting, maintenance etc.</p>











 <p>Carbon-Monoxide Hazard Do not use the product in confined areas or without adequate ventilation. Carbon-monoxide poisoning can be fatal.</p>	 <p>Pull Hazard Be aware that the product contains or uses mechanical devices that can pull in objects and can cause severe injury to fingers, limbs etc. Take due care when handling and using the product.</p>	 <p>Slope / Fall Injury Hazard Be aware that using the product on sloping surfaces or in slippery conditions may present additional dangers from falls and contact with blades, moving parts, hot surfaces etc.</p>	 <p>"Slam Dunk" Warning Do NOT attempt "slam dunk" manoeuvres as this may result in severe injury due to falling, product breakage or collapse etc.</p>
 <p>Electrocution / Electrical Shock Hazard - Outdoor High voltage or high current electricity may be present or required by the product. Do NOT use in rain, damp or wet conditions. Electrical shock can be fatal.</p>	 <p>Electrocution / Electrical Shock Hazard - Disconnect High voltage or high current electricity may be present or required by the product. Always disconnect the product from the electrical supply before handling the product, adjusting, maintenance etc.</p>	 <p>Power Line Electrocution Hazard High voltage / high current power lines may be present. Use extreme caution to avoid contact or interference with power lines. Electrical shock can be fatal.</p>	 <p>"Kick-Back" Hazard High level of "kick-back" hazard that can cause the machine to suddenly rotate towards operator. Kick-back injury can be fatal.</p>
 <p>Winch Operator Position Hazard Do NOT stand between winch and load. Do NOT use winch to move people.</p>	 <p>Winch Lift Hazard Do NOT LIFT load vertically. Use machine to PULL only.</p>	 <p>Cable Hazard Ensure that load bearing cable is not kinked or knotted.</p>	 <p>Winch Cable Hazard Ensure that there is a minimum number of cable coils on winching mechanism.</p>
 <p>Winch Hook Hazard Carry hook to load – do NOT throw or run.</p>	 <p>Flash / Blinding Hazard Wear appropriate eye protection for welding. Direct exposure to weld arcs may cause permanent eye injury.</p>	 <p>Laser Hazard Laser may be in use – do NOT look directly at laser, or allow others to.</p>	



Table of Contents

Safety	2
Safety Symbols	4
Parts Identification.....	7
Assembly	8
Installing the Training Wheels	8
Installing the Left Front and the Right Front and Rear Wheels.....	9
Installing the Left Rear Drive Wheel	9
Installing the Windshield	10
Installing the Steering Wheel	10
Installing the Side Mirrors.....	11
Installing the Seat.....	11
Syncing the Remote Control	12
Charging the Battery	12
Operation	13
In-Car Controls	13
Lithium Battery Care and Maintenance	15
Top 3 Battery Care Requirements	15
Maintenance	16
Specifications.....	17

Parts Identification

No.	Name	Image	Qty.
1	Car body		1
2	Seat		1
3	Windshield		1
4	Side mirrors		2
5	Steering wheel		1
6	Axle caps		4
7	Standard wheels		3
8	Drive wheel		1
9	Remote control		1
10	Charger		1
11	MP3 connecting wire (if equipped)		1
12	Training wheels		2
13	Plastic wrench		2

Assembly

Video Tutorial:


[Typical Ride-On Car Assembly](#)



• Assembly should be done by adults. • Prepare a screwdriver for assembly • do not let children handle or play with the small components to avoid choking hazards. • Check all the packaging items first before assembling the vehicle. • Store the plastic bags properly; do not let children play with the bags to avoid choking hazards.


Installing the Training Wheels

1. Turn the car body upside-down.
2. Remove all the two screws as shown in picture A.
3. Install the training wheel and secure with the screws removed in step 2.




Installing the Left Front and the Right Front and Rear Wheels

1. Remove the nut and one of the washers from both sides of the car.
2. Install a wheel on each side of the axle and secure with the remaining washer and nut.
3. Place an axle cap over each of the nuts.




Installing the Left Rear Drive Wheel

1. Remove the nut and washer from the axle.
2. Install the Drive Wheel and secure with the washer and nut.
3. Place an axle cap over the nut.




Installing the Windshield

1. Remove the 2 screws holding the dashboard in place.
2. Slide the dash backward enough to be able to install the windscreen, lining up the lugs on the windscreen with the slots across the body of the car.
3. Return the 2 screws removed at step 1 to secure the dashboard and windscreen in place.



Installing the Steering Wheel

1. Remove the bolt and nut running through the base of the steering column.
2. Connect the fitting at the base of the steering wheel to the fitting fed through the dashboard.
3. Slide the steering wheel into position and secure in place with the bolt and nut removed at step 1.



Installing the Side Mirrors

1. Ensure that the left and right side mirrors are correctly installed on the left and right sides of the vehicle, respectively.
2. Insert the side mirrors into the car body.



Installing the Seat

1. Connect the connectors of the battery and the motor together before installing the seat.
2. Remove the two screws from the inside body of the car.
3. Insert the seat into the car body ensuring the tabs on the back of the seat slot into position and the seatbelt is pulled around to the front of the seat.
4. Fasten the seat in place with the 2 screws removed in step 2.



NOTE: After assembling the Ride-On Car, check and see if there are any parts left uninstalled.

Syncing the Remote Control


1. Insert 2 x AAA batteries into the back of the remote control.
2. Ensure the car is off.
3. Hold the Up and Down keys together for 3 seconds and the red LED will flash.
4. Turn the car on, the LED will stay on indicating the pairing has been successful.

NOTE: after 10 seconds of no use, the remote control goes into standby mode. Press any key to wake it up.

Charging the Battery




• Connect the wires of the accumulator. • Pay attention to the polarity of the accumulator. • Avoid any misconnections.



NOTE: • The Ride-On Car has a charging protection function. While it is being charged, other functions cannot be used. • Power must be turned OFF while the vehicle is being charged. • For first time use, charge the vehicle for 4 – 6 hours, do not exceed over 10 hours. • Charge the vehicle once it starts to run slowly. • Charge the vehicle for 8 – 12 hours after every use, do not exceed over 20 hours.

1. Insert the charger plug into the charging port located just below the seat inside the car.
2. Insert the charger into a power outlet.
3. First time charge should not exceed 10 hours. Subsequent charges should not exceed 20 hours.

Operation



In-Car Controls

- **Power Switch:** Turns the power ON/OFF.
- **Forward and Reverse Gear:** Operate it together with the **Gas Pedal** to make the vehicle go forward/backward and left/right with the Steering Wheel.

• **Dashboard Controls:**



ABC Song / Volume Down
(if equipped)


Music
(if equipped)

Music/Volume Up
(if equipped)

Story Mode
(if equipped)

PLEASE NOTE: Not all units are equipped with music, stories, songs, MP3, AUX or SD card functionality. Please refer the product listing.




• **Remote Control:**



- **Speed:** There are 3 small LEDs in the LED display, 1 LED is low speed, 2 LED is medium, 3 LED is high speed. Pressing **S** will cycle through the speed levels
- **Brake:** Press and hold **P** to keep the brake on.

Lithium Battery Care and Maintenance

Top 3 Battery Care Requirements

1. **Charge battery before first use.** The battery may arrive with some charge, regardless of this the battery must be charged for 4 – 6 hours on the initial charge and 8 – 12 hours for each subsequent charge. 
 2. **Charge battery immediately when it is depleted.** Do not store a depleted battery. This will permanently impact the life of the battery. If the battery is going to be stored for a period of time, fully charge the battery before storing. 
 3. **Disconnect battery when not in use.** To prolong the life of a battery, disconnect it from the unit when not in use. Disconnect chargers from the battery once charged. 
-

To ensure the battery maintains optimum performance, follow the guidelines outlined below.

- For best results, charge batteries in temperatures between 10°C and 30°C
- When battery is charged, disconnect the charger from the power supply and remove the battery from the charger.
- If a battery is stored or otherwise unused for an extended period, and the battery has no charge remaining when you check it, consider it to be damaged. Do not attempt to recharge it or to use it. Replace it with a new battery.
- Use only with the battery charger specified by the manufacturer.
- Ensure that the battery charger electrical cord is not subjected to damage or stress. Do not operate the battery charger if it has a damaged electrical cord or plug.
- Do not use the charger in wet areas or expose it to rain or water.
- The typical estimated life of a Lithium-Ion battery is about two to three years or 300 to 500 charge cycles, whichever occurs first. One charge cycle is a period of use from fully charged, to fully discharged, and fully recharged again
- Explosion hazard – protect the battery against heat; for example, direct sunlight and fire. Do not store batteries in vehicles or locations subject to heat.
- Batteries can explode in the presence of an ignition source, such as a pilot light. To reduce the risk of serious personal injury, never use any cordless product in the presence of open flame. Exploding batteries can propel debris and chemicals.
- Do not open the battery – danger of short-circuiting and/or explosion.
- Do not attempt to destroy or disassemble the battery pack or remove any of its components.
- Do not touch the battery terminals with metal objects and/or body parts as short-circuit and/or personal injury may result.
- Explosion hazard – do not open and/or short-circuit the battery.
- Poison hazard – battery leakage (liquid ejection). Under extreme conditions, liquid may be ejected from the battery – avoid contact. If contact accidentally occurs, immediately seek medical attention, and flush with water. If liquid contacts eyes, immediately seek medical attention, flush with clean water for at least 10 minutes. Liquid ejected from the battery may cause irritation or burns.
- Dispose of non-serviceable batteries in an environmentally responsible manner and according to local regulations.



Failure to adhere to the requirements above may result in the battery becoming inoperative or battery life being reduced. In extreme cases or abuse, battery overheating or fire may result.

Maintenance

- The main parts of the vehicle should be examined regularly. It should not be used when the accumulator, charger, wires, plugs, car body or other parts are damaged, or if the screws are loose, or if there are any potential safety loopholes, until the vehicles has been repaired.
- The vehicle should be kept away from fire, sources of strong heat and prolonged exposure to direct sunlight. It should always be placed on its wheels; never store it upside-down. On rainy days, it should be stored indoors and covered with a waterproof cloth.
- The vehicle should be kept away from hot objects, such as stoves and heaters, as the plastic parts could melt while the vehicle is being charged. Keep the vehicle away from combustibles so as to avoid starting a fire.
- The vehicle should be charged in a timely manner when its battery charge is low. It must only be charged by adults. Before storing the vehicle, it must be charged fully first. While it is kept in storage, charge it once every month to prolong the battery's life-span.
- Never wash the vehicle with water; teach children how to operate the vehicle properly.
- This vehicle is made to fit only one child to ride; the load limit is 30kg.
- Non-rechargeable batteries can't be charged. Charging the batteries must be done under the supervision of adults. While being charged, the batteries should be taken out from the vehicle. Do not mix together different types of batteries or old and new batteries. Batteries should be positioned on the correct polarities. Empty batteries should be removed from the vehicle. Avoid short-circuiting the power ends.
- Do not use fuses that do not match with the specifications of this vehicle.
- Do not change the structure or the circuitry system of the vehicle. Have an authorised technician examine the vehicle.

Specifications

Motor	20W
Speed Range	3-5km/h
Speeds	Dual (High/Low)
Gears	Forward and reverse
Engine Start Sound	Yes
Seat Belt	Adjustable
Battery	6V 4.5Ah
Range	1-2hrs (full charge)
Remote Operation	Yes
Recommended Age Range	2 Years, 3-4 Years, 5-7 Years
Max User Height	110cm
Max User Weight	30kg
Power Plug	Australian Standard

Note: Assembly Required



Some experts believe that the incorrect or prolonged use of almost any product may cause serious injury or death. To help reduce your risk of serious injury or death, refer to the information below. For more information, see www.datastreamserver.com/safety

- Consult all documentation, packaging and product labelling before use. Note that some products feature documentation available online. It is recommended to print and retain the documentation.
- Before each use, check the product for loose/broken/damaged/missing parts, wear or leaks (if applicable). Never use a product with loose/broken/damaged/missing parts, wear or leaks.
- Products must be inspected and serviced (if applicable) by a qualified technician every 6 months. This is based on average residential use by persons of average size and strength, and on a property of average metropolitan size. Use beyond these recommendations may require more frequent inspections/servicing.
- Ensure that all users of the product have completed a suitable industry recognised training course before being allowed access to the product.
- The product has been supplied by a general merchandise retailer that may not be familiar with your specific application or description of application. Be sure to attain third-party approval from a qualified specialist for your application before use, regardless of any assurances from the retailer or its representatives.
- This product is not intended for use where fail-safe operation is required. As with any product (for example, automobile, computer, toaster), there is the possibility of technical issues that may require the repair or replacement of parts, or the product itself. If the possibility of such failure and the associated time it may take to rectify could in any way inconvenience the user, business or employee, or financially affect the user, business or employee, then the product is not suitable for your requirements. This product is not intended for use where incorrect operation or a failure of any kind, including but not limited to, a condition requiring product return, replacement, parts replacement or service by a technician may cause financial loss, loss of employee time or an inconvenience requiring compensation.
- If this product has been purchased in error when considering the information presented here, contact the retailer directly for details of their returns policy, if required.

