



DR.DUNK®



Heavy-Duty Basketball Stand SBA305 - A series

Video Tutorial:
[Assembly](#)



User Manual

[Revision 2.0 March 2020]

READ THIS MANUAL CAREFULLY BEFORE USE – FAILURE TO DO SO MAY RESULT IN INJURY, PROPERTY DAMAGE AND MAY VOID WARRANTY. • KEEP THIS MANUAL FOR FUTURE REFERENCE. • Products covered by this manual may vary in appearance, assembly, inclusions, specifications, description and packaging.

Safety

Safety messages are designed to alert you to possible dangers or hazards that could cause death, injury or equipment or property damage if not understood or followed. Safety messages have the following symbols:

 You WILL be KILLED or SERIOUSLY INJURED if you do not follow instructions.	 You CAN be KILLED or SERIOUSLY INJURED if you do not follow instructions.	 You CAN be INJURED if you do not follow instructions or equipment damage may occur.
<p>It is vital that you read and understand this user manual before using the product, including safety warnings, and any assembly and operating instructions. Keep the manual for future reference.</p> <p>Safety precautions and recommendations detailed here must be fully understood and followed to reduce the risk of injury, fire, explosion, electrical hazard, and/or property damage.</p> <p>Safety information presented here is generic in nature – some advice may not be applicable to every product. The term "equipment" refers to the product, be it electrical mains powered, battery powered or combustion engine powered.</p> <ul style="list-style-type: none"> Before Use - If you are not familiar with the safe operation/handling of the equipment, or are in any way unsure of any aspect of suitability or correct use for your application, you should complete training conducted by a person or organization qualified in safe use and operation of this equipment, including fuel/electrical handling and safety. Do NOT operate the equipment in flammable or explosive environments, such as in the presence of flammable liquids, gases or dust. The equipment may create sparks or heat that may ignite flammable substances. Keep clear of moving parts. Equipment may be a potential source of electric shock or injury if misused. Do NOT operate the equipment if it is damaged, malfunctioning or is in an excessively worn state. Do NOT allow others to use the equipment unless they have read this manual and are adequately trained. Keep packaging away from children - risk of suffocation! Operators must use the equipment correctly. When using the equipment, consider conditions and pay due care to persons and property. <p>General Work Area Safety</p> <ul style="list-style-type: none"> Work areas should be clean and well lit. Do not operate the equipment if bystanders, animals etc are within operating range of the equipment or the general work area. If devices are provided for connecting dust extraction / collection facilities, ensure these are connected and used properly. Dust collection can reduce dust-related hazards. 	<p>General Personal Safety</p> <ul style="list-style-type: none"> Wear appropriate protective equipment when operating, servicing, or when in the operating area of the equipment to help protect from eye and ear injury, poisoning, burns, cutting and crush injuries. Protective equipment such as safety goggles, respirators, non-slip safety footwear, hard hat, hearing protection etc should be used for appropriate equipment / conditions. Other people nearby should also wear appropriate personal protective equipment. Do not wear loose clothing or jewellery, which can be caught in moving parts. Keep hair and clothing away from the equipment. Stay alert and use common sense when operating the equipment. Do not over-reach. Always maintain secure footing and balance. Do not use the equipment if tired or under the influence of drugs, alcohol or medication. This equipment is not intended for use by persons with reduced physical, sensory or mental capabilities. <p>General Fuel Safety</p> <ul style="list-style-type: none"> Petrol/fuel/gasoline is extremely flammable – keep clear of naked flames or other ignition sources. Do not spill fuel. If you spill fuel, wipe it off the equipment immediately – if fuel gets on your clothing, change clothing. Do NOT smoke near fuel or when refuelling. Always shut off the engine before refuelling. Do NOT refuel a hot engine. Open the fuel cap carefully to allow any pressure build-up in the tank to release slowly. Always refuel in well ventilated areas. Always check for fuel leakage. If fuel leakage is found, do not start or run the engine until all leaks are fixed. <p>General Carbon-Monoxide Safety</p> <ul style="list-style-type: none"> Using a combustion engine indoors CAN KILL IN MINUTES. Engine exhaust contains carbon-monoxide – a poison you cannot smell or see. Use combustion engines OUTSIDE only, and far away from windows, doors and vents. 	<p>General Equipment Use and Care</p> <ul style="list-style-type: none"> The equipment is designed for domestic use only. Handle the equipment safely and carefully. Before use, inspect the equipment for misalignment or binding of moving parts, loose components, damage or any other condition that may affect its operation. If damaged, have the equipment repaired by an authorised service centre or technician before use. Prevent unintentional starting of the equipment - ensure equipment and power switches are in the OFF position before connecting or moving equipment. Do not carry equipment with hands or fingers touching any controls. Remove any tools or other items that are not a part of the equipment from it before starting or switching on. Do not force the equipment. Use the correct equipment for your application. Equipment will perform better and be safer when used within its design and usage parameters. Use the equipment and accessories etc. in accordance with these instructions, considering working conditions and the work to be performed. Using the equipment for operations different from those intended could result in hazardous situations. Always keep equipment components (engines, hoses, handles, controls, frames, housings, guards etc) and accessories (cutting tools, nozzles, bits etc) properly maintained. Keep the equipment clean and, where applicable, properly lubricated. Store the equipment out of reach of children or untrained persons. To avoid burns or fire hazards, let the equipment cool completely before transporting or storing. Never place or store the equipment near flammable materials, combustible gases or liquids etc. The equipment is not weather-proof, and should not be stored in direct sunlight, at high ambient temperatures or locations that are damp or humid. Do not clean equipment with solvents, flammable liquids or harsh abrasives. For specific equipment safety use and care, see Equipment Safety.

General Electrical Safety	General Electrical Safety	General Service Information
<ul style="list-style-type: none"> Inspect electrical equipment, extension cords, power bars, and electrical fittings for damage or wear before each use. Repair or replace damaged equipment immediately. Ensure all power sources conform to equipment voltage requirements and are disconnected before connecting or disconnecting equipment. When wiring electrically powered equipment, follow all electrical and safety codes. Wherever possible, use a residual current device (RCD). High voltage / high current power lines may be present. Use extreme caution to avoid contact or interference with power lines. Electrical shock can be fatal. 	<ul style="list-style-type: none"> Electrically grounded equipment must have an approved cord and plug and be connected to a grounded electrical outlet. Do NOT bypass the ON/OFF switch and operate equipment by connecting and disconnecting the electrical cord. Do NOT use equipment that has exposed wiring, damaged switches, covers or guards. Do NOT use electrical equipment in wet conditions or in damp locations. Do NOT use electrical cords to lift, move or carry equipment. Do NOT coil or knot electrical cords, and ensure electrical cords are not trip hazards. 	<ul style="list-style-type: none"> The equipment must be serviced or repaired at authorised service centres by qualified personnel only. Replacement parts must be original equipment manufacturer (OEM) to ensure equipment safety is maintained. Do NOT attempt any maintenance or repair work not described in this manual. After use, the equipment and components may still be hot – allow the equipment to cool and disconnect spark plugs and/or electrical power sources and/or batteries from it before making adjustments, changing accessories or performing repair or maintenance. Do NOT make adjustments while the equipment is running. Perform service related activities in suitable conditions, such as a workshop. Replace worn, damaged or missing warning/safety labels immediately.
Basketball Stand Safety	Basketball Stand Safety	Basketball Stand Safety
<ul style="list-style-type: none"> Owner must ensure that all players know and follow these rules for safe operation of the system. To ensure safety, do not attempt to assemble this system without following the instructions carefully. Check entire box and inside all packing material for parts and/or additional instruction material. Before beginning assembly, read the instructions and identify parts using the hardware identifier and parts list in this manual. Proper and complete assembly, use, and supervision are essential for proper operation and to reduce the risk of accident or injury. A high probability of serious injury exists if this system is not installed, maintained, and operated properly. 	<ul style="list-style-type: none"> The system should be moved by at least 3 adults capable of handling its weight. Children should not be allowed to move the system. Stand in front of the system and pull the pole forward until the system is balanced on its wheels. Move the system to the desired location and carefully set the base down. Never hang from the rim or climb on the pole as injury or property damage could occur. For these reasons do not perform dunking activities on this system as it is not designed for such use. Do not allow children to climb on the basketball system. Never leave the unit assembled without weight in the tank. 	<ul style="list-style-type: none"> Check the base frequently for leaks or loose cap. Slow leakage could cause the system to tip over unexpectedly and damage the floor if used inside. Seat the pole sections properly. Not doing so might allow the pole sections to separate during play or during transportation for this system. Further check before each use if all fittings and hardware are tight. Climate, corrosion or misuse could result in system failure. This system is not intended for children 3 and under. All players must use sufficient bodily protection when playing.

Safety Symbols

The product may have safety warning labels attached to it, explained below. Understand the symbols on your product and their meanings. If any stickers become unreadable, unattached etc, replace them.

<p>Flammable Material Hazard Flammable liquids, gases or substances etc may present. Avoid ignition sources and open flames. Danger of fire.</p>	<p>Read User Manual Read and fully understand product safety warnings, operation, procedures etc before using the product.</p>	<p>Use Hand Protection Wear appropriate hand protection and take due care as the product or use of the product may present hand hazards.</p>	<p>Carbon-Monoxide Hazard Do not use the product in confined areas or without adequate ventilation. Carbon-monoxide poisoning can be fatal.</p>
<p>Electrocution / Electrical Shock Hazard High voltage or high current electricity may be present or required by the product. Take due care when handling electrical products, cables, plugs and leads. Electrical shock can be fatal.</p>	<p>Toxic Fumes / Dust Hazard Using the product or by-products from use may produce fumes, smoke or particles that could be harmful if inhaled. Wear appropriate breathing protection and have adequate ventilation.</p>	<p>Explosive Material Hazard Combustible liquids, gases or substances etc may be present. Avoid ignition sources and open flames. Danger of explosion.</p>	<p>Cutting / Amputation Hazard The product may have blades, edges or mechanical devices that can cause severe cut injury to fingers, limbs etc. Take due care when handling and using the product.</p>
<p>Crush Hazard The product may have blades, edges or mechanical devices that can cause severe crush injury to fingers, limbs etc. Take due care when handling and using the product.</p>	<p>Single Operator Only The product must be operated by a single person only. More than one person operating the product may introduce additional hazards.</p>	<p>Use Face Protection Wear appropriate full-face protection and take due care as the product or use of the product may present face and eye hazards.</p>	<p>Use Foot Protection Wear appropriate foot protection and take due care as the product or use of the product may present foot hazards.</p>
<p>Use Eye / Ear / Head Protection Wear appropriate eye and / or ear and / or head protection and take due care as the product or use of the product may present eye, hearing and head hazards.</p>	<p>Running Hazard Do not run on or near the product as doing so may present a fall hazard.</p>	<p>Diving Hazard Do not dive into the product as doing so may present a neck / head injury hazard.</p>	<p>Adult Supervision Required Always supervise children and other users of a product to prevent drowning or injury.</p>
<p>Skin Penetration / Puncture Hazard The product may produce pressure, emit liquids or objects that can cause severe injury to fingers, limbs, blood etc. Take due care when handling and using the product.</p>	<p>Hot Surface Hazard Be aware that the product may produce high temperatures and hot surfaces that can cause burn injuries.</p>	<p>Flying Debris Hazard Be aware that the product or use of the product may present hazards produced by flying debris. Wear appropriate clothing and protective devices.</p>	<p>Moving Parts Hazard Be aware that the product contains or uses mechanical devices that move or rotate. Always wait for moving parts to stop fully before handling the product, adjusting, maintenance etc.</p>

Carbon-Monoxide Hazard Do not use the product in confined areas or without adequate ventilation. Carbon-monoxide poisoning can be fatal.	Pull Hazard Be aware that the product contains or uses mechanical devices that can pull in objects and can cause severe injury to fingers, limbs etc. Take due care when handling and using the product.	Slope / Fall Injury Hazard Be aware that using the product on sloping surfaces or in slippery conditions may present additional dangers from falls and contact with blades, moving parts, hot surfaces etc.	"Slam Dunk" Warning Do NOT attempt "slam dunk" manoeuvres as this may result in severe injury due to falling, product breakage or collapse etc.
Electrocution / Electrical Shock Hazard - Outdoor High voltage or high current electricity may be present or required by the product. Do NOT use in rain, damp or wet conditions. Electrical shock can be fatal.	Electrocution / Electrical Shock Hazard - Disconnect High voltage or high current electricity may be present or required by the product. Always disconnect the product from the electrical supply before handling the product, adjusting, maintenance etc.	Power Line Electrocution Hazard High voltage / high current power lines may be present. Use extreme caution to avoid contact or interference with power lines. Electrical shock can be fatal.	"Kick-Back" Hazard High level of "kick-back" hazard that can cause the machine to suddenly rotate towards operator. Kick-back injury can be fatal.
Winch Operator Position Hazard Do NOT stand between winch and load. Do NOT use winch to move people.	Winch Lift Hazard Do NOT LIFT load vertically. Use machine to PULL only.	Cable Hazard Ensure that load bearing cable is not kinked or knotted.	Winch Cable Hazard Ensure that there is a minimum number of cable coils on winching mechanism.
Winch Hook Hazard Carry hook to load – do NOT throw or run.	Flash / Blinding Hazard Wear appropriate eye protection for welding. Direct exposure to weld arcs may cause permanent eye injury.	Laser Hazard Laser may be in use – do NOT look directly at laser, or allow others to.	


Table of Contents

Safety	2
Safety Symbols	4
Parts Identification.....	7
Assembly and Set-Up	11
Operation	16
Height Adjustment.....	16
Moving the Basketball Stand.....	16
Reference Images.....	17
Specifications.....	18


Parts Identification

Part No	Name & Specification	Qty.	Remarks
A1, A2, A3, A4	M12*180MM	1	Connect backboard brace (longer) (T) & outer lifter pole (EE)
B1, B2, B3, B4	M12*180MM	1	Connect link block of top pole (Z) & backboard brace (shorter) (S)
C1, C2, C3, C4, C5	M12*180MM	2	Connect backboard (CC) & backboard brace (S, T)
D1, D2, D3	M12*180MM	1	Connect link block of top pole (Z) & backboard brace (longer) (T)
E1, E2	M12*180MM	1	Connect large spring (HH) on the middle of backboard brace (shorter) (S)
F1, F2, F3	M10*100MM	2	Connect top pole (W), middle pole (X) & bottom pole (Y)
G1, G2, G3	M10*120MM	1	Connect middle pole (X) & pole brace (U1, U2, U3, U4)
H1, H2, H3	M8*90 MM	2	Connect rim (AA) & backboard (CC), add small spring (R)
J1, J2, J3	M8*100MM	2	Connect triangular block (Q) & middle pole (X)
K1 – K4	M10*100MM	1	Connect link block of top pole (Z) & top pole (W)
L1, L2, L3	M8*45MM	1	Connect triangular block (Q) & inner lifter pole (FF)
M1, M2, M3	M8*20MM	2	Connect rim (AA) & backboard (CC)
N1, N2	M8*25MM	4	Connect middle pole (X) & pole brace (U1, U2, U3, U4)
O1, O2	M8*30MM	1	Connect base (BB) & bottom pole (Y)
M	Wheel	2	
N	Cap for top pole	1	
O	Water cap	1	
P	Net	1	
Q	Triangular block	1	
R	Small spring	2	
S	Backboard brace (shorter)	2	
T	Backboard brace (longer)	2	
U	Pole brace (U1, U2, U3, U4)	4	
V	Wheel Shaft	1	
W	Top Pole	1	
X	Middle Pole	1	
Y	Bottom Pole	1	

Part No	Name & Specification	Qty.	Remarks
Z	Link block of top pole	1	
AA	Rim	1	
BB	Base	1	
CC	Backboard	1	
DD	Protector pad	1	
EE	Outer lifter pole	1	
FF	Inner lifter pole	1	
GG	Wheel bracket	2	
HH	Large spring	2	




NOTE: Please measure all hardware and check the you have the correct quantities before starting assembly. Some spacers may not be on the bolts as shown. Disassemble and re-assemble where needed.




Assembly and Set-Up

Video Tutorial: [Assembly](#) 

Connect the top pole (W), middle pole (X) and bottom pole (Y). Pay close attention to the direction of these three poles. The holes on the end connectors must overlap together to be more convenient to the next installation of fixed bolts.




Install the triangular block (Q) on the middle pole (X) with bolts J1, J2 and J3.




When the pole joint has a burr or pipe end deformation, strike the bottom of the pole firmly 3 to 4 times on a piece of wood or cardboard.

Secure the top pole (W), middle pole (X) and bottom pole (Y) together with bolts F1, F2, and F3.




Install the bottom pole (Y) on the base (BB) with bolts O1 and O2, ensuring that the triangular block (Q) is facing backwards after installation.



Fix the pole braces (U1, U2, U3, U4) on the middle pole (X) with bolts G1, G2, and G3. The top end of U1 and U2 must be fixed inside the pole brace (U3, U4), near the middle pole (X).


Insert wheel shaft (V) into wheel (M), base (BB) & wheel bracket (GG) one-by-one.

Secure the pole braces U1, U2, U3, U4 on base with bolts N1, N2, N3, N4. Note that the pole braces U1, U2 are fixed on the two sides of base (BB) & the wheel bracket (M) must be fixed with the bottom end of pole braces U3, U4 together.




Secure the rim (AA) on the backboard (CC) with bolts H1 – H3 and M1 – M3. Note that the 2pcs. Of small springs (R) must be installed on the top 2 holes of the rim (AA) with bolts H1 – H4.

Refer reference image [A3](#) page 18.




Secure the 4pcs. Of backboard braces (S, T) on the back of the backboard (CC) with bolts C1 – C5. Note the place of bushing (C3). Secure bolts E1, E2 to the middle holes of the backboard brace (shorter) (S) for the following step of hanging the large spring (HH).



NOTE: The bottom hole sizes will help you determine which end of the backboard brace (S, T) should be installed on the back of the backboard (CC).

Connect this end on the back of backboard (CC)

270mm	370mm
640mm	300mm
S	T




Secure the top of the outer lifter pole (EE) to the backboard brace (longer) (T) with bolts A1 – A4. The bushing A2 must be between the backboard (longer) (T) and the outer lifter pole (EE).

Secure the inner lifter pole (FF) to the triangular block (Q) with bolts L1 – L3.


Do not tighten nut all the way. It will need to be removed when adding tensioning springs in the next step.

Install the link block (Z) at the top end of the top pole (W) with bolts K1 – K4. The bushing (K2) must be put at the side of the top pole with bolt K1 to prevent the top pole from bending out of shape. Do not secure the bolt K1 too tightly before securing the pole brace (S, T) first.





Refer reference image [A1](#) on page 17

Connect the backboard brace (S, T) on the link block of the top pole (Z) with bolts B1 – B4 and D1 – D3. The bushing (B2) must be put inside the link block (Z) with bolt B1 to prevent the link block (Z) to bend out of shape. Finally, install the cap on the top pole (W).



Refer reference image [A2](#) on page 17




Hang the other end of the large spring (HH) on bolt E1 with a wrench.

Remove the bolt holding the lifter pole. This will allow you to adjust the distance between the backboard and the spring. Once the spring is attached, you can re-secure the bolt and use the height adjuster as normal.


Hook the 2pcs. of large springs (HH) on the fourth hole of the backboard bracket.


As shown in the figure, install the net(P) on rim(AA)

1.



2.






For safety reasons, it is recommended to fill up the tank with sand instead of water. If a small leak develops, water might run, allowing the stand to fall over and cause personal injury and /or death or property damage. Place the base on a smooth surface only, away from any sharp objects that might be able to puncture it.

Operation


Height Adjustment

As shown in the image below, hold the lifting handle bar (EE) and move it up or down.



Moving the Basketball Stand

1. Adjust the basketball stand to its lowest height level before moving it.
2. Avoid making friction with the ground while moving.
3. Move the basketball stand to the preferred location, then slowly raise it up to the preferred height.



Reference Images

A1



A2

Height adjuster should be facing the rear of the unit



A3

Specifications

Material	Steel Frame and Rim
Backboard	Shatterproof polycarbonate
Net	Nylon
Backboard Dimension	130 x 80cm
Backboard to ground Height Adjustment	295-370cm
Rim to ground Height Adjustment	230cm-305cm
Main Tube Diameter	8.6cm
Rim Inner Diameter	45cm

Note: Assembly Required



Some experts believe that the incorrect or prolonged use of almost any product may cause serious injury or death. To help reduce your risk of serious injury or death, refer to the information below. For more information, see www.datastreamserver.com/safety

- Consult all documentation, packaging and product labelling before use. Note that some products feature documentation available online. It is recommended to print and retain the documentation.
- Before each use, check the product for loose/broken/damaged/missing parts, wear or leaks (if applicable). Never use a product with loose/broken/damaged/missing parts, wear or leaks.
- Products must be inspected and serviced (if applicable) by a qualified technician every 6 months. This is based on average residential use by persons of average size and strength, and on a property of average metropolitan size. Use beyond these recommendations may require more frequent inspections/servicing.
- Ensure that all users of the product have completed a suitable industry recognised training course before being allowed access to the product.
- The product has been supplied by a general merchandise retailer that may not be familiar with your specific application or description of application. Be sure to attain third-party approval from a qualified specialist for your application before use, regardless of any assurances from the retailer or its representatives.
- This product is not intended for use where fail-safe operation is required. As with any product (for example, automobile, computer, toaster), there is the possibility of technical issues that may require the repair or replacement of parts, or the product itself. If the possibility of such failure and the associated time it may take to rectify could in any way inconvenience the user, business or employee, or financially affect the user, business or employee, then the product is not suitable for your requirements. This product is not intended for use where incorrect operation or a failure of any kind, including but not limited to, a condition requiring product return, replacement, parts replacement or service by a technician may cause financial loss, loss of employee time or an inconvenience requiring compensation.
- If this product has been purchased in error when considering the information presented here, contact the retailer directly for details of their returns policy, if required.

