

Multi-Drawer Tool Cabinets / Chests

User Guide [Revision 1.0 August 2017]

READ THIS MANUAL CAREFULLY BEFORE USE – FAILURE TO DO SO MAY RESULT IN INJURY, PROPERTY DAMAGE AND MAY VOID WARRANTY. • KEEP THIS MANUAL FOR FUTURE REFERENCE. • Products covered by this manual may vary in appearance, assembly, inclusions, specifications, description and packaging

Safety

Read and understand this user guide before using the equipment. Retain the user guide for future reference. **Any damage or equipment failure due to incorrect usage is not covered by warranty.**

- Do not modify or use the tool for any other purpose than that it is designed for.
- Keep work areas clean, well lit and well ventilated.
- Do not operate the equipment if it is damaged, malfunctioning or is in an excessively worn state.
- This equipment must be used on flat, level and stable surfaces only. Do not use if it is unsteady.
- Stay alert and use common sense when operating equipment. Do not overreach. Keep proper footing and balance at all times. Do not use equipment when tired or under the influence of drugs, alcohol or medication. This equipment is not intended for use by persons with reduced physical, sensory or mental capabilities.
- Do not exceed the maximum weight capacities.
- This equipment is for domestic use only.

Parts Identification

Supplied parts may vary between models are a tool chest, or a tool cabinet, or chest and cabinet combination.

- Tool cabinets come supplied with 4 casters, handle and handle fasteners. Some models may include several external hanging hooks.
- Tool chests, if not supplied fully assembled, come supplied with 2 handles and handle fasteners.
- Tool chest and 2-drawer cabinets may come supplied with the tool chest inside the cabinet - these types have a removable panel that allows the chest to be removed from the cabinet cavity.
- Locks come supplied with keys.
- Tool chests come with locking bars.

Note: Tools are not included.



Assembly

Note: Ensure that all parts are included and are in good condition before assembly. • Some parts may come pre-assembled. • Tools, not supplied, may be required for assembly.

For tool cabinets shipped with a tool chest in the cabinet, remove the panel on the side of the cabinet (4 screws) and any shipping fasteners securing the chest to the cabinet (Fig 1). Slide the chest from the cabinet, then re-install the panel on the side of the cabinet (4 screws) (Fig 2).

Attach the castors to the underside of the cabinet by pushing or tapping them in until they "lock" into position (Fig 3).

If the chest requires the handles to be installed, place a handle into position on each side of the chest and secure it using 4 screws (Fig 4).

Attach the cabinet handle to the side of the cabinet (either side may be used on some models) - place the handle into position on the side of the cabinet and secure it using 4 screws (Fig 5).

If the cabinet has hanging hooks, attach them as required to the side of the cabinet (either side may be used on some models) as required (Fig 6).




Fig 1




Fig 2




Fig 4




Fig 3



Fig 5




Fig 6

Care and Maintenance

Periodically check that all fasteners are tight. • Clean using a soft cloth and suitable cleaner (do not use solvents or abrasives, particularly on the seat).

If it becomes necessary to remove a drawer, pull the drawer out fully, then back in slightly. On each side of the drawer, insert a screwdriver into the slot in the bearing slide and push it against the drawer stopper until it clears the prong in the bearing slide, then pull the drawer out slightly. To re-install a drawer, carefully push it on to the bearing slide so that stopper engages the prong and clips into the slot in the bearing slide (Fig 7).




Fig 7



Some experts believe that the incorrect or prolonged use of almost any product may cause serious injury or death. To help reduce your risk of serious injury or death, refer to the information below. For more information, see www.datastreamserver.com/safety

- Consult all documentation, packaging and product labelling before use. Note that some products feature documentation available online. It is recommended to print and retain the documentation.
 - Before each use, check the product for loose/broken/damaged/missing parts, wear or leaks (if applicable). Never use a product with loose/broken/damaged/missing parts, wear or leaks.
 - Products must be inspected and serviced (if applicable) by a qualified technician every 6 months. This is based on average residential use by persons of average size and strength, and on a property of average metropolitan size. Use beyond these recommendations may require more frequent inspections/servicing.
 - Ensure that all users of the product have completed a suitable industry recognised training course before being allowed access to the product.
 - If this product has been purchased in error when considering the information presented here, contact the retailer directly for details of their returns policy, if required.
- The product has been supplied by a general merchandise retailer that may not be familiar with your specific application or description of application. Be sure to attain third-party approval from a qualified specialist for your application before use, regardless of any assurances from the retailer or its representatives.
 - This product is not intended for use where fail-safe operation is required. As with any product (for example, automobile, computer, toaster), there is the possibility of technical issues that may require the repair or replacement of parts, or the product itself. If the possibility of such failure and the associated time it may take to rectify could in any way inconvenience the user, business or employee, or financially affect the user, business or employee, then the product is not suitable for your requirements. This product is not intended for use where incorrect operation or a failure of any kind, including but not limited to, a condition requiring product return, replacement, parts replacement or service by a technician may cause financial loss, loss of employee time or an inconvenience requiring compensation.



©2018 Bullet. All rights reserved. No part of this document, including descriptive content, concepts, ideas, diagrams or images may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, scanning or recording, or any information storage and retrieval system, without express permission or consent from the publisher.